



					Value NODI																	
01113	Cadmium, total recoverable	G - Raw Sewage Influent	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
01113	Cadmium, total recoverable	G - Raw Sewage Influent	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
01114	Lead, total recoverable	1 - Effluent Gross	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
01114	Lead, total recoverable	G - Raw Sewage Influent	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
01118	Chromium, total recoverable	1 - Effluent Gross	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
01118	Chromium, total recoverable	G - Raw Sewage Influent	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
01119	Copper, total recoverable	G - Raw Sewage Influent	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
01129	Molybdenum, total recoverable	1 - Effluent Gross	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
01129	Molybdenum, total recoverable	G - Raw Sewage Influent	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
01220	Chromium, hexavalent dissolved [as Cr]	1 - Effluent Gross	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
01220	Chromium, hexavalent dissolved [as Cr]	G - Raw Sewage Influent	0	--	Sample																	
					Permit Req.																	
					Value NODI																	
71901	Mercury, total recoverable	G - Raw Sewage Influent	0	--	Sample																	
					Permit Req.																	
					Value NODI																	

**Submission Note**

If a parameter row does not contain any values for the Sample nor Effluent Trading, then none of the following fields will be submitted for that row: Units, Number of Excursions, Frequency of Analysis, and Sample Type.

**Edit Check Errors**

No errors.

**Comments**

Reviewed. GJB

**Attachments**

No attachments.

**Report Last Saved By**

CALDWELL, CITY OF

User: GBETTERLEY@CITYOFCALDWELL.ORG  
 Name: Gustav Betterley  
 E-Mail: gbetterley@cityofcaldwell.org  
 Date/Time: 2024-04-11 11:26 (Time Zone: -06:00)

**Report Last Signed By**

User: GBETTERLEY@CITYOFCALDWELL.ORG  
 Name: Gustav Betterley  
 E-Mail: gbetterley@cityofcaldwell.org  
 Date/Time: 2024-04-17 10:57 (Time Zone: -06:00)