DMR Copy of Record

Permit																	
Permit #:	ID0021504		Permittee	:		CALDV	VELL, CIT	Y OF	Facility	y:		CALDWEL	L, CITY	/ OF - C	CALDWELL	WWTP	
Major:	Yes		Permittee	Address:			CLEVELA VELL, ID 8		Facility	y Locatio	n:	208 JOHN CALDWEL					
Permitted Feature:	001 External Outfall		Discharge	: :		001-H Boise F	River										
Report Dates & Status			· I														
Monitoring Period:	From 07/01/17 to 09/3	0/17	DMR Due	Date:		10/20/1	7		Status	:		NetDMR V	/alidate	ed			
Considerations for Form	Completion		,						,								
See Permit Part I.D, Table	3																
Principal Executive Office	er																
First Name:			Title:						Teleph	one:							
Last Name:									,								
No Data Indicator (NODI)			ı														
Form NODI:																	
	itoring Location Season	# Param. NODI				or Loadin				ity or Conce					x. Frequency	of Analysi	Sample Type
Code Name				Qualifier 1 Va	alue 1 G	Qualifier 2	Value 2 Unit	s Qualifier 1			Qualifier 3	Value 3	Units 73 - tox		01/90 - Quar	torly	24 - COMP24
Gode Hairie												1	73 - IUX			lerry	24 - COIVIF 24
TT000 Toxicity, Chronic EA - Efflu	uent Adjusted Value 0		Sample Permit Req. Value NODI						<=	8 MO AVG	<=	16 DAILY MX	X 73 - tox		01/90 - Quar	terly	24 - COMP24
	uent Adjusted Value 0	-	Permit Req.						<=	8 MO AVG	<=	16 DAILY MX	X 73 - tox			terly	24 - COMP24
TT000 Toxicity, Chronic EA - Efflu		the Sample n	Permit Req. Value NODI	rading, the	en none	e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflu		the Sample no	Permit Req. Value NODI	rading, ther	en none	e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflormation Note If a parameter row does no		the Sample no	Permit Req. Value NODI	rading, thei	en none	e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflusive Submission Note If a parameter row does noted the Check Errors		the Sample no	Permit Req. Value NODI	rading, ther	en none	e of the fo	bllowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflusive EA - Efflusi		the Sample no	Permit Req. Value NODI	rading, thei	en none	e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflusive EA - Efflusi		the Sample no	Permit Req. Value NODI	rading, the	en none	e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflusive EA - Efflusi		the Sample no	Permit Req. Value NODI	rading, thei	en none	e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflusive EA - Efflusi		the Sample no	Permit Req. Value NODI	rading, the	en none	e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflusive EA - Efflusi		the Sample no	Permit Req. Value NODI	rading, the	en none	e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflusive Submission Note If a parameter row does noted to Check Errors No errors. Comments Attachments No attachments. Report Last Saved By	ot contain any values for	the Sample no	Permit Req. Value NODI or Effluent Ti	rading, thei	en none	e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflusive Submission Note If a parameter row does noted to Check Errors No errors. Comments Attachments No attachments. Report Last Saved By CALDWELL, CITY OF	ot contain any values for		Permit Req. Value NODI or Effluent Tr	rading, ther	en none	e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflusive Submission Note If a parameter row does noted to Check Errors No errors. Comments Attachments No attachments. Report Last Saved By CALDWELL, CITY OF User:	ot contain any values for kc kc Ka	hattin@cityofc	Permit Req. Value NODI or Effluent To	rading, the	en none	e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflusion Note If a parameter row does noted the Check Errors No errors. Comments Attachments No attachments. Report Last Saved By CALDWELL, CITY OF User: Name:	ot contain any values for kc Ka kc	hattin@cityofc iitlin Chattin	Permit Req. Value NODI or Effluent To caldwell.org			e of the fo	ollowing fie	lds will be :						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflusion Note If a parameter row does note Edit Check Errors No errors. Comments Attachments No attachments. Report Last Saved By CALDWELL, CITY OF User: Name: E-Mail:	ot contain any values for kc Ka kc	hattin@cityofc itlin Chattin hattin@cityofc	Permit Req. Value NODI or Effluent To caldwell.org			e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
TT000 Toxicity, Chronic EA - Efflusive Submission Note If a parameter row does noted to Check Errors No errors. Comments Attachments No attachments. Report Last Saved By CALDWELL, CITY OF User: Name: E-Mail: Date/Time:	ot contain any values for ko Ka ko 20	hattin@cityofc itlin Chattin hattin@cityofc	Permit Req. Value NODI or Effluent To caldwell.org caldwell.org 05 (Time Zo	one: -07:00		e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
Submission Note If a parameter row does notedit Check Errors No errors. Comments Attachments No attachments. Report Last Saved By CALDWELL, CITY OF User: Name: E-Mail: Date/Time: Report Last Signed By	ot contain any values for ko Ka ko 20	hattin@cityofo nitlin Chattin hattin@cityofo 17-10-20 09:	caldwell.org (Time Zo	one: -07:00		e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	
Submission Note If a parameter row does note Edit Check Errors No errors. Comments Attachments No attachments. Report Last Saved By CALDWELL, CITY OF User: Name: E-Mail: Date/Time: Report Last Signed By User:	ot contain any values for ko Ka ko 20	hattin@cityofc iitlin Chattin hattin@cityofc 17-10-20 09: rreola@cityofc	caldwell.org 05 (Time Zo	one: -07:00		e of the fo	ollowing fie	lds will be						tic	01/90 - Quar	·	