



BIOMONITORING REPORT

FOR

CITY OF CALDWELL WWTP

LAB #1700963

PERMIT # ID0021504



JANUARY 2017

PREPARED BY:

ANALYTICAL LABORATORIES, INC.
1802 N. 33RD STREET
BOISE, ID 83703
(208)342-5515

SUMMARY OF ANALYSES CITY OF CALDWELL WWTP

JANUARY 2017

The results for the Fathead Minnow survival study:

NOEC:	100%
LOEC:	>100%
IC25:	>100%
TUC:	1

The results for the Fathead Minnow growth study:

NOEC:	100%
LOEC:	>100%
IC25:	>100%
TUC:	1

The results for the *Ceriodaphnia dubia* reproduction study:

NOEC:	100%
LOEC:	>100%
IC25:	>100%
TUC:	1

*Associated control replicates did not meet minimum acceptability requirements for reproduction. However, three simultaneously run control boards passed requirements outlined in Test Design/Standard Conditions Method 1002.0. Raw data and analysis for substitute control has been included as Appendix V. Please see Interpretation, EPA Method 1002.0.

The results for the *Ceriodaphnia dubia* survival study:

NOEC:	100%
LOEC:	>100%
IC25:	>100%
TUC:	1

The results for the algae, *Selenastrum capricornutum* growth study:

NOEC:	100%
LOEC:	>100%
IC25:	>100%
TUC:	1

Interpretation

EPA Method 1000.0- *Pimephales promelas*

Statistical analyses of survival and growth data for test method 1000.0 demonstrated that all concentrations tested were not significantly different from the controls and displayed no chronic toxicity. Stock cultures run simultaneously with

* EPA Method 1002.0- *Ceriodaphnia dubia*

Statistical analyses of survival data for test method 1002.0 demonstrated no chronic toxicity. However, the reproduction data showed a failure within only those control replicates which were recorded on test bench sheets to meet minimum acceptability requirements. Gradual improvement in reproduction as effluent concentration increases, and comparability of reproductive output in 100% effluent and additional, simultaneously run controls provide clear evidence that the result was not a consequence of toxicity of the effluent, but due to an intralaboratory control water issue.

EPA Method 1003.0 – *Selenastrum capricornutum*

Statistical analyses of growth inhibition data for test method 1003.0 demonstrated that all concentrations tested displayed no chronic toxicity. However, significantly greater growth in test concentrations may indicate a bio stimulatory effect caused by the sample which resulted in increased growth correlating with increased effluent concentrations.

Introduction

Toxicity analyses, consisting of three chronic bioassays, EPA Test Method 1000.0, EPA Test Method 1002.0 and EPA Test Method 1003.0 were conducted on effluent samples collected by the City of Caldwell WWTP. Samples were collected January 10, January 12, January 13, and January 16, 2017, as 24-hour effluent composites. Once collected, samples were sent immediately to Analytical Laboratories, Inc. for analyses. Effluent composites were collected in one-gallon jugs for solution renewal water and in one liter cubitainers for water chemistries testing. Samples were chilled during transport by the addition of cold packs to the coolers. Method 1000.0, using the freshwater fathead minnow *Pimephales promelas*, was conducted on January 12 and completed on January 19, 2017. Method 1002.0, utilizing the freshwater flea *Ceriodaphnia dubia*, was conducted on January 10, 2016 and completed on January 18, 2017. Method 1003.0 utilizing the green algae *Selenastrum capricornutum* was initiated January 17, and completed on January 21, 2017. Testing was conducted according to Short-Term Methods for Estimating the Chronic Toxicity of Effluents and receiving Waters to Freshwater Organisms, Fourth Edition October 2002 EPA-821-R-02-013 and Standard Methods for the Examination of Water and Wastewater, 19th Edition.

Methods and Materials

Test methods are designed to estimate and measure chronic toxicity of effluents to the cladoceran *Ceriodaphnia dubia* and the fathead minnow *Pimephales promelas* in a 7-day static renewal test. The green algae *Selenastrum capricornutum* was exposed in a static system to a series of concentrations of effluent for 96 hours to estimate chronic toxicity. Effluent was used, whole or combined, with artificially prepared dilution water to prepare dilution series. Dilution water was prepared (20% v/v Perrier mineral water in Millipore Milli-Q deionized water) to produce a moderately hard dilution and control water. Water was prepared in bulk 24 hours prior to analyses and was aerated for 24 hours prior to starting the test in order to produce sufficient dissolved oxygen in the control water. All test method design and overviews are provided below.

For Method 1000.0, utilizing the fathead minnow *Pimephales promelas*, larvae (less than 24 hours) were sent from Aquatic Biosystems, Inc. in Fort Collins, Colorado. Organisms were sent by UPS in oxygen saturated water contained in plastic bags in an insulated container. It should be noted that the first shipment of organisms sent from Aquatic Biosystems were not received on time and a reshipment occurred, this resulted in the fourth collection date of the effluent samples. Once received, larvae were steadily acclimated to laboratory control water prior to transfer to test dilutions. Healthy larvae were transferred to test cells using wide-bore pipettes. Larvae were offered freshly hatched, freshwater-rinsed brine shrimp *Artemia nauplii*. Larvae were fed twice daily and water renewed daily using fresh test solution for seven consecutive days. Data obtained was used to determine NOEC, LOEC, IC₂₅ and TU_c for survival and growth (dry weight gain).

For Test Method 1002.0, *Ceriodaphnia dubia* neonates were produced in house from brood organisms that produce 8 or more young in their 3rd or subsequent broods. Brood animals are fed daily and transferred to new culture media at a minimum of 3 times a week. Survival and reproduction records are maintained to ensure healthy test organisms. Original mass cultures of organisms were started from brood organisms obtained from Aquatic Biosystems in Fort Collins, Colorado. Neonates less than 24 hours old were selected from known parentage, inspected, and arranged in five sample dilutions and a control with ten replicates. Analyses at a static renewal were performed over the next seven consecutive days. Data obtained was used to determine NOEC, LOEC, and IC₂₅ for survival and reproduction (see Appendix I - Definition of Terms).

For Test Method 1003.0, utilizing the green algae *Selenastrum capricornutum*, starter cultures are purchased from Aquatic Biosystems with an initial concentration of 3.0×10^7 cells/mL. This stock solution is diluted with algal medium to produce an initial concentration of >10,000 algae cells/mL in each replicate. A spectrophotometer is used at the beginning and after completion of the test to determine the cell density in each replicate prior to the start, and at the end of the test period. For the duration of the test, vessels are shaken twice daily to avoid sedimentation of algal cells for prolonged periods of time. Data obtained was used to determine NOEC, LOEC, IC₂₅ and TUC (see Appendix I - Definition of Terms) for specific growth rate (increase in cell density).

Test Designed/Standard Conditions/Method 1000.0:

Test design and standard conditions for Method 1000.0 are as follows:

1. Test Type - static renewal (daily)
Collection #1 – Renewal Day 1 and 2 – January 12, 2017
Collection #2 – Renewal Day 3 and 4 – January 13, 2017
Collection #3 – Renewal Day 5 and 6 – January 16, 2017
Day 7 – Final counts and statistical review
2. Temperature - 25 +/- 1 degrees Celsius.
3. Light Quality - Environmental Chamber Fisher/11-67966
4. Light Intensity - Incubation chamber (as above)
5. Photoperiod - 16 hours light; 8 hours dark
6. Test Chamber - 500 mL tall form beakers
7. Test Solution Volume - 250 ml / replicate
8. Renewal static - All dilutions daily
9. Age of Test Organisms - Larvae; less than 24 hours old
10. Individual/Chamber - 10 per chamber
11. Chamber Replicates - 4 replicates of each dilution and control
12. Feeding - 0.1 ml newly hatched brine shrimp twice daily; 8 hour intervals
13. Dilution Water - 20% v/v Perrier Mineral Water in deionized water
14. Dilution Concentrations - 100%, 69.5%, 39%, 19.5%, 9.75% and Control
15. Test Duration - 7 days
16. Endpoints - Survival and growth (individual dry weight gain)
17. Acceptability - 80% survival in controls. Average net dry weight gain of surviving controls equals or exceeds 0.25 mg/individual
18. Sample Volume Taken - 1 gallon for test solution renewal and 1 liter for daily composite water chemistries
19. Source of organisms - Aquatic Biosystems, Inc., Fort Collins, Colorado

Test Design/Standard Conditions Method 1002.0

1. Test Type - static renewal (daily)
Collection #1 – Renewal Day 1 and 2 – January 10, 2017
Collection #2 – Renewal Day 3 and 4 – January 12, 2017
Collection #3 – Renewal Day 5 and 6 – January 13, 2017
Day 7 – Final counts and statistical review
2. Temperature - 25 +/- 1 degree Celsius.
3. Light Quality - Environmental Chamber Fisher/11-67966
4. Light Intensity - Incubation chamber (as above)
5. Photoperiod - 16 hours light; 8 hours dark
6. Test Chamber - 30 ml anchor-hocking
7. Renewal - All dilutions daily
8. Age - Neonates/less than 24 hours
9. Organisms per chamber - One
10. Replicates - Ten chambers/control and each dilution
11. Feeding - 0.1 ml YTC; 0.1 ml *Selenastrum capricornutum* suspension - once daily
12. Dilution water - 20% v/v Perrier Mineral Water in deionized water
13. Concentrations used - 100%, 69.5%, 39%, 19.5%, 9.75% and Control
14. Duration - Seven days
15. Endpoint - Survival/reproduction
16. Acceptability - 80% or greater of control survival / 60% of control produce 3rd brood / Average of 15 young/surviving female
17. Source of organisms - In house

Test Designed/Standard Conditions/Method 1003.0

1. Test Type: Static system
 -
 - Collection – January 16, 2017
 2. Temperature: 25 degrees C. +/- 1 degree C.
 3. Light Quality: Incubator chamber (Percival Scientific Model AL30L2C8)
 4. Light Intensity: Incubation chamber (as above)
 5. Photoperiod: 24 hours light
 6. Test Chamber: 250 mL borosilicate glass bottles
 7. Test Solution Volume: 100 ml / replicate
 8. Age of Test Organisms: 4 day culture
 9. Individual/Vessel: 5.6×10^5 cells per mL initially
 10. Vessel Replicates: 4 replicates of control and each dilution
 11. Feeding: Initial addition of Algal culture medium (prepared by Aquatic Biosystems) at equal portion in each dilution.
 12. Dilution Water: 20% diluted Perrier mineral water
 13. Dilution Concentrations: 100%, 69.5%, 39%, 19.5%, 9.75% and Control
 14. Test Duration: 96 hours
 15. Endpoint: Growth – Absorbance values obtained from Spectronic 601 are used to determine cells/mL based on a standardized linear relationship
 16. Acceptability: Mean cell density of at least 1.0×10^6 cells/mL in the controls; and variability (CV%) among control replicates less than or equal to 20%
- Source of Algae: Aquatic Biosystems, Fort Collins, Colorado

Interpretation - Statistical Review

Results - Method 1000.0

During Method 1000.0, larval survival and growth test using the fathead minnow *Pimephales promelas*, survival and growth from specific dilutions of collected wastewater were measured and compared to values obtained from controls prepared in 20% diluted mineral water.

Statistical analyses of survival and growth data for test method 1000.0 demonstrated that all concentrations tested were not significantly different from the controls and displayed no chronic toxicity.

Endpoints Determined - Method 1000.0

		<u>NOEC</u>	<u>LOEC</u>	<u>IC25</u>
<i>Pimephales promelas</i>	Survival	100%	>100%	>100%
	Growth	100%	>100%	>100%

Survival of controls exceeded eighty-percent (80%) and net dry weight gain of surviving individuals did exceed 0.25 mg/individuals in controls. Test was declared valid.

Results - Method 1002.0

During EPA Method 1002.0, survival and reproduction test using *Ceriodaphnia dubia*, survival and reproduction values from specific dilutions of collected effluent are measured and compared to values obtained from control individuals.

Statistical analyses of survival, and reproduction data for test method 1002.0 demonstrated that all concentrations tested were not significantly different than controls and displayed no chronic toxicity.

Endpoints Determined - Method 1002.0

		<u>NOEC</u>	<u>LOEC</u>	<u>IC25</u>
<i>Ceriodaphnia dubia</i>	Survival	100%	>100%	>100%
	Reproduction	100%	>100%	>100%

*Associated control replicates did not meet minimum acceptability requirements for reproduction. However, three simultaneously run control boards passed requirements outlined in Test Design/Standard Conditions Method 1002.0. Raw data and analysis for substitute control has been included as Appendix V. Please see Interpretation, EPA Method 1002.0.

Results - Method 1003.0

During EPA Method 1003.0, algal growth response test using the green algae *Selenastrum capricornutum*, growth from specific dilutions of collected effluent were measured and compared to values obtained from controls prepared in 20% diluted Perrier mineral water.

Statistical analyses of growth inhibition data for test method 1003.0 demonstrated that all concentrations tested were not significantly different from the controls and displayed no chronic toxicity.

Endpoints Determined - Method 1003.0

		<u>NOEC</u>	<u>LOEC</u>	<u>IC25</u>
<i>Selenastrum capricornutum</i>	Growth	100%	>100%	>100%

Final mean cell counts of control exceeded 1.0×10^6 cell/mL cell density and less than 20% variation in controls was established. Test was declared valid.

Test Quality Control

Quality control practices for effluent toxicity tests include certain precautions at each of the following steps:

1. Effluent sampling and handling. Sampling containers prepared as per section 7 of Methods for Measuring and Chronic Toxicity of Effluent to Freshwater and Marine Organisms were provided to client. Insulated transportation containers with cooling packs to chill samples were provided.
2. Condition of test organisms. Test organisms for Method 1000.0 and 1002.0, 1003.0 are purchased from Aquatic Biosystems, Inc. in Fort Collins, Colorado, a state and federally approved aquatic test organism supplier.
3. Conditions of test equipment. All test equipment used is maintained according to manufacturer's specifications. Equipment such as balances, thermometers, .etc is calibrated annually by outside sources and certificates are maintained. All equipment maintenance and calibrations are recorded and archived.
4. Test conditions. Only test methods directly from EPA references or methodologies provided are used. Any deviations or alterations from these procedures are documented and approved prior to use.
5. Reference toxicants. Reference toxicants are used for both Methods 1000.0 and 1002.0. Sodium chloride is made up in dilution control water at prescribed concentrations and is used to determine toxicity for each method. Reference toxicants are run once per month to ensure consistency in test methodology. Quality control data is provided and a graphical representation over time is attached.
6. Record Keeping. All raw data, data evaluation, and statistical analysis are included in report to client. Original hardcopies along with all test records are maintained at laboratory for client or future reference.

LIST OF TABLES AND APPENDICES

Table I	- <i>Pimephales promelas</i> Survival Data - Method 1000.0
Table II	- <i>Pimephales promelas</i> Growth Data - Method 1000.0
Table III	-Water Chemistries – Daily Renewal Summary – Method 1000.0
Table IV	- <i>Ceriodaphnia dubia</i> Survival and Reproduction Summary - Method 1002.0
Table V	-Water Chemistries - Daily Renewal Summary – Method 1002.0
Table VI	- <i>Selenastrum capricornutum</i> water pH and temperature- Method 1003.0
Table VII	- <i>Selenastrum capricornutum</i> cell count density summary- Method 1003.0
Table VIII	- Dilution chemistries summary
Table VIII	- Sample chemistries summary
Appendix I	-Definition of Terms
Appendix II	- <i>Ceriodaphnia dubia</i> Raw Data & Analysis
Appendix III	- <i>Pimephales promelas</i> Raw Data & Analysis
Appendix IV	- <i>S. capricornutum</i> Raw Data & Analysis
*Appendix V	- <i>S. capricornutum</i> Raw Data & Analysis (Control Substitution)
Appendix VI	-Effluent Samples Chain of Custodies & Chemistries Reports
Appendix VII	-NPDES WETT Permit Requirements
Appendix VII	-Organisms - Transfer Sheets
Appendix VIII	-Literature Cited
Appendix VIII	-Reference Toxicants Data and Graphs

CITY OF CALDWELL WWTP
LAB ID # 1700963
JANUARY 2017

METHOD 1000.0

Concentration	Initial Count	48-hour Count	96-hour Count	Final Count	Percent Survival
Control	40	40	39	39	98%
9.75%	40	40	40	40	100%
19.5%	40	40	40	40	100%
39%	40	40	40	40	100%
69.5%	40	40	40	40	100%
100%	40	40	39	39	98%

Table I: Fathead Minnow Larvae Survival Summary

Concentration	APPROXIMATE AVERAGE INITIAL WEIGHT (mg)*	ENDING AVERAGE WEIGHT (mg)	ENDING AVERAGE WEIGHT GAIN (mg)
Control	0.13	0.51	0.38
9.75%	0.13	0.49	0.36
19.5%	0.13	0.50	0.37
39%	0.13	0.48	0.35
69.5%	0.13	0.49	0.36
100%	0.13	0.55	0.42

* Initial weight obtained by taking 40 individuals at beginning of procedure (weight is dry weight/mg, 100° C. for 24 hours.)

Table II: Fathead Minnow Larvae Growth Summary

Concentration	Day	1	2	3	4	5	6	7
Control	DO	6.7	6.7	6.4	6.9	6.6	6.0	6.2
	pH	7.5	7.6	7.6	7.8	7.7	7.5	7.5
9.75%	DO	6.6	6.4	6.6	6.7	6.5	6.1	6.2
	pH	7.5	7.6	7.3	7.7	7.7	7.5	7.6
19.5%	DO	6.4	6.3	6.6	6.8	6.5	6.1	6.3
	pH	7.6	7.6	7.5	7.8	7.6	7.6	7.7
39%	DO	6.5	6.2	6.4	6.9	6.4	6.1	6.3
	pH	7.7	7.7	7.6	7.9	7.7	7.7	7.8
69.5%	DO	6.7	6.3	6.4	6.7	6.3	6.0	6.4
	pH	7.8	7.9	7.8	7.9	7.8	7.8	7.9
100%	DO	6.8	6.3	6.2	6.7	6.3	5.8	6.3
	pH	7.9	8.0	7.9	8.1	7.9	7.9	8.0

Table III: Water Chemistries, Daily Renewals – Old Water pH & Dissolved Oxygen Values

CITY OF CALDWELL WWTP
LAB ID #1700963
JANUARY 2017

METHOD 1002.0

Concentration	Initial Count	48-hour Count	96-hour Count	Final Count	Percent Survival	Average Young/ Remaining Female
Control	10	10	10	8	80%	13.9
9.75%	10	10	10	8	80%	14.4
19.5%	10	10	10	8	80%	18.0
39%	10	10	10	9	90%	22.7
69.5%	10	10	10	10	100%	33.3
100%	10	10	10	10	100%	34.0

Table IV: *Ceriodaphnia dubia* Survival And Reproduction Summary

Concentration Day	Control		9.75%		19.5%		39%		69.5%		100%	
	DO	pH	DO	pH	DO	pH	DO	pH	DO	pH	DO	pH
1	7.7	7.7	7.6	7.9	7.5	7.9	7.6	8.0	7.6	8.1	7.7	8.2
2	7.7	7.7	7.4	7.8	7.5	7.8	7.5	7.9	7.5	8.1	7.6	8.2
3	7.4	7.7	7.3	7.8	7.3	7.8	7.4	7.9	7.6	8.0	7.6	8.1
4	7.5	8.0	7.4	7.9	7.4	8.0	7.5	8.1	7.6	8.2	7.9	8.4
5	7.6	8.0	7.5	8.0	7.5	8.0	7.6	8.1	7.7	8.2	7.8	8.3
6	7.6	7.7	7.7	7.9	7.6	8.0	7.8	8.1	7.8	8.2	7.9	8.4
7	7.9	7.6	8.0	7.8	8.0	8.0	8.0	8.1	7.9	8.2	8.0	8.3

Table V: Water Chemistries, Daily Renewals – Old Water pH & Dissolved Oxygen Values

CITY OF CALDWELL WWTP
 LAB ID #1700963
 JANUARY 2017

METHOD 1003.0

Conc	Day 0		Day 1		Day 2		Day 3		Day 4	
	pH	Temp								
Control	7.9	23.6	9.6	23.6	10.5	23.7	10.6	24.4	10.7	24.3
9.75%	7.8	24.1	9.6	23.6	10.7	24.2	10.8	24.1	10.8	24.4
19.5%	7.8	24.1	9.6	23.8	10.8	24.3	11.0	24.2	10.9	24.6
39%	7.8	23.9	9.5	24.0	10.7	24.3	10.9	24.0	10.9	24.6
69.5%	7.8	23.8	9.4	24.2	10.7	24.2	10.9	23.9	10.9	24.7
100%	7.7	24.1	9.3	23.2	10.6	24.4	10.7	24.2	10.9	24.8

Table VI: *Selenastrum capricornutum* Water pH & Temperature

Concentration	Initial Cell Density	Final Cell Density Replicate 1	Final Cell Density Replicate 2	Final Cell Density Replicate 3	Final Cell Density Replicate 4	Final Cell Density Average
Control	0.56	2.23	2.29	2.47	1.90	2.23
9.75%	0.56	2.44	2.59	2.50	1.93	2.37
19.5%	0.56	3.01	3.04	3.10	2.38	2.89
39%	0.56	3.85	3.88	3.82	2.32	3.47
69.5%	0.56	5.11	5.35	5.41	3.52	4.85
100%	0.56	7.15	7.36	7.00	4.18	6.43

*Millions of cells per mL

Table VII: *Selenastrum capricornutum* Growth Response Summary

CITY OF CALDWELL WWTP
LAB ID # 1700963
JANUARY 2017

Sample Date	CHLORINE RESIDUAL (mg/L)	ALKALINITY (mg/L)	CONDUCTIVITY (umhos)	HARDNESS (mg/L)	AMMONIA (mg/L)	pH S.U.
01/10/2017	<0.10	166	703	141	<0.04	7.3
01/12/2017	<0.10	169	744	124	0.06	7.3
01/13/2017	<0.10	174	795	149	<0.04	7.2
01/16/2017	<0.10	178	737	150	<0.04	7.1

Table VIII: Effluent Chemistries Summary for EPA Method 1000.0 and 1002.0

Concentration	CHLORINE RESIDUAL (mg/L)	ALKALINITY (mg/L)	CONDUCTIVITY (umhos)	HARDNESS (mg/L)	AMMONIA (mg/L)	pH S.U.
CONTROL	<0.10	100	281	109	<0.04	6.8
9.75%	<0.10	98.6	310	115	<0.04	6.8
39%	<0.10	131	491	133	<0.04	6.8
100%	<0.10	190	793	170	0.04	7.1

Dilution Chemistries Summary for EPA Method 1003.0

Definition of Terms

1. Safe Concentration. The highest concentrations of toxicant that will permit normal propagation of fish and other aquatic life in receiving waters, biologically defined rather than statistically.
2. NOEC (No-Observed Effect Concentration) - The highest concentration of toxicant in which the values for the observed parameters (survival, growth, reproduction) in which there is no statistically significant difference from controls and no observable effect on organism behavior or health.
3. LOEC (Lowest-Observed Effect Concentration) - The lowest concentration of toxicant in which the values for the observed parameters (survival, growth, reproduction) do have a statistical significant difference from controls. At this concentration there is evidence of toxicity.
4. TU_c (chronic toxicity units) – 100/NOEC for Survival; 100/IC25 for all other endpoints
5. IC25 (Inhibition concentration - 25%) – Concentration where at least 25% of the organisms have some statistically significant effect.

Taken from: Short-Term methods for Estimating the Chronic Toxicity of Effluents and receiving Waters to Freshwater Organisms, Fourth Edition. October 2002. EPA-821-R-02-013.

BENCH SHEET FOR CERIODAPHNIA SURVIVAL/REPRODUCTION TEST. EPA Method 1002.0

LAB ID# 1700963Analyst: WR/cp Final Report Review: SCDischarged: EffluentTest Start Date/Time: 9/10/17, 1400Description: City of Caldwell WWTPTest Stop Date/Time: 9/18/17, 1315Temp Received: Day 1: 5.0 Day 2: 5.3Day 3: 3.7Renewal Lab Numbers: Day 0 & 1: 963Day 2 & 3: 1343 Day 4, 5 & 6: 1543

Conc Control

Day-Lab #	1	2	3	4	5	6	7	8	9	10	# Young	New D.O.	New pH	Old D.O.	Old pH	Daily Temp
0-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		7.6	7.4	XXX	XXX	22.8
1-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		7.8	7.8	7.7	7.7	23.2
2-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		7.8	7.9	7.7	7.7	22.9
3-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		7.7	7.6	7.4	7.7	23.5
4-	✓	1/5	1/7	1/6	1/1	1/6	1/7	1/6	1/5	1/6	49	7.9	7.9	7.5	8.0	22.7
5-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	9	8.1	7.8	7.6	8.0	22.1
6-	✓	2/3	2/12	2/14	✓	2/3	2/12	2/14	2/12	✓	80	8.0	8.0	7.6	7.7	22.5
7-	✓	✓	✓	✓	✓	✓	0	✓	0	✓	3/2	2 WR 8.1	7.9	7.8	3.8	
Total	0	18	19	20	1	0	19	0	17	17	111		7.9	7.6		

Conc ~~9.05%~~ ^{9.05} 9.75%

Day-Lab #	1	2	3	4	5	6	7	8	9	10	# Young	New D.O.	New pH	Old D.O.	Old pH	Daily Temp	
0-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		7.8	7.5	XXX	XXX	22.7	
1-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		8.0	7.8	7.6	7.9	23.1	
2-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		7.8	7.7	7.4	7.8	22.8	
3-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		7.9	7.5	7.3	7.8	23.7	
4-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	47.58	7.9	7.4	7.9	7.9	22.6	
5-	✓	1/1	1/2	1/7	1/5	✓	1/5	1/7	1/6	1/7	1/6	36	8.1	8.0	7.5	8.0	22.3
6-	✓	2/12	1	✓	2/14	✓	2/13	2/17	2/12	2/16	✓	60	8.0	7.9	7.7	7.9	23.1
7-	✓	✓	✓	0	✓	✓	✓	✓	✓	✓	3/19	19	WR 7.8	7.6	7.7		
Total	2	3	7	0	0	0	20	23	19	41	115		8.0	7.8			

Conc 19.5%

Day-Lab #	1	2	3	4	5	6	7	8	9	10	# Young	New D.O.	New pH	Old D.O.	Old pH	Daily Temp
0-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		7.9	7.6	XXX	XXX	22.7
1-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		8.1	7.8	7.5	7.9	23.0
2-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		7.8	7.6	7.5	7.8	22.7
3-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		8.1	7.5	7.3	7.8	23.4
4-	✓	1/8	1/7	1/6	✓	1/6	1/5	1/6	1/6	1/6	50	8.0	7.9	7.4	8.0	22.7
5-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		8.3	7.9	7.5	8.0	22.4
6-	✓	2/5	2/7	2/12	2/12	✓	2/13	2/12	2/18	✓	2/14	78	8.2	7.8	7.6	8.0
7-	0	✓	3/3	✓	0	✓	✓	✓	✓	✓	3/13	16	WR 8.0	8.0	8.0	23.1
Total	0	15	22	18	0	19	17	14	6	33	144					

BENCH SHEET FOR CERIODAPHNIA SURVIVAL/REPRODUCTION TEST. EPA Method 1002.0

LAB ID# 1700963Analyst: EW/CP Final Report Review: SCDischarged: EffluentTest Start Date/Time: 1/10/17, 1400Description: City of Caldwell WWTPTest Stop Date/Time: 1/18/17, 1315Temp Received: Day 1: 5.0 Day 2: 5.3Day 3: 3.7Renewal Lab Numbers: Day 0 & 1: 963 Day 2 & 3: 1343 Day 4, 5 & 6: 1543Conc 39%

# Young	New D.O.	New pH	Old D.O.	Old pH	Daily Temp
---------	----------	--------	----------	--------	------------

Day-Lab #	1	2	3	4	5	6	7	8	9	10	XXX	XXX	XXX	XXX	XXX
0-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.2	7.6	XXX	XXX	22.6
1-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.5	7.7	7.6	8.0	23.1
2-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.1	7.5	7.5	7.9	22.5
3-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.5	7.5	7.4	7.9	23.5
4-	1/6	1/7	1/5	1/7	1/5	1/6	1/7	1/6	1/6	1/5	53	8.3	7.7	7.5	8.1
5-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.6	7.8	7.6	8.1	22.7
6-	2/15	2/13	2/13	2/13	✓	2/14	2/10	2/15	2/16	2/13	109	8.6	7.7	7.8	8.1
7-	✓	0	3/13	3/16	✓	✓	3/3	3/5	✓	3/5	42	8.6	7.7	7.8	8.1
Total	21	0	31	36	5	20	20	26	22	23	204		8.0	8.1	

Conc 69.5°C

# Young	New D.O.	New pH	Old D.O.	Old pH	Daily Temp
---------	----------	--------	----------	--------	------------

Day-Lab #	1	2	3	4	5	6	7	8	9	10	XXX	XXX	XXX	XXX	XXX
0-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.6	7.5	XXX	XXX	22.5
1-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	9.0	7.6	7.6	8.1	23.2
2-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.7	7.5	7.5	8.1	22.8
3-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	9.0	7.5	7.6	8.0	23.2
4-	1/8	1/6	1/7	1/7	1/6	1/6	1/5	1/5	1/6	1/5	61	8.8	7.6	7.6	8.2
5-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	9.2	7.8	7.7	8.2	22.8
6-	2/16	2/17	2/13	2/14	2/14	2/11	2/12	2/15	2/13	2/13	138	9.1	7.6	7.8	8.2
7-	3/10	3/21	3/2	3/19	3/17	3/5	3/15	3/21	3/21	3/13	134			7.9	8.2
Total	34	44	22	40	27	22	32	41	40	31	333				

Conc 100°C

# Young	New D.O.	New pH	Old D.O.	Old pH	Daily Temp
---------	----------	--------	----------	--------	------------

Day-Lab #	1	2	3	4	5	6	7	8	9	10	XXX	XXX	XXX	XXX	XXX
0-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	9.1	7.5	XXX	XXX	22.5
1-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	9.3	7.5	7.7	8.2	23.4
2-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	9.0	7.6	7.6	8.2	23.4
3-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	9.3	7.5	7.6	8.1	23.1
4-	1/6	1/7	1/4	1/6	1/7	1/6	1/7	1/5	1/7	1/6	61	9.2	7.6	7.9	8.4
5-	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	9.5	7.6	7.8	8.3	23.0
6-	2/14	2/14	2/15	2/12	2/13	2/14	2/12	2/13	2/14	2/11	132	9.6	7.6	7.9	8.4
7-	3/17	3/23	3/16	3/19	3/10	3/4	3/18	3/20	✓	3/20	147			8.0	8.3
Total	37	44	35	37	30	24	37	38	21	37	340				

Summary Sheet

Facility Analytical Laboratories
Test ID 1700963 City of Caldwell WWTP
Date 1/22/2017
IWC Conc.

Analyst Will Reynolds
Species Ceriodaphnia dubia (water flea)
Test Type Reproduction

Input

Replicate	Concentrations					
	0	0.0975	0.195	0.39	0.695	1
1	0	2	0	21	34	37
2	18	3	15	0	44	44
3	19	7	22	31	22	35
4	20	0	18	36	40	37
5	1	0	0	5	27	30
6	0	0	19	20	22	24
7	19	20	17	20	32	37
8	0	23	14	26	41	38
9	17	19	6	22	40	21
10	17	41	33	23	31	37

Mean	11.100	11.500	14.400	20.400	33.300	34.000
Stdev	9.386	13.786	10.167	10.803	7.931	6.976

Output

Statistical Data	Conc.	Mean	Stdev	CV	Dunnett test
	0	11.100	9.386	0.846	
	0.0975	11.500	13.786	1.199	NS
	0.195	14.400	10.167	0.706	NS
	0.39	20.400	10.803	0.530	NS
	0.695	33.300	7.931	0.238	NS
	1	34.000	6.976	0.205	NS


NOEC	LOEC	IC25	95% Confidence Intervals	
1	>1	>1	N/A	N/A

TST	Calculated t-value	Table t-value	Relative % Effect at IWC

MSD	PMSD
10.347	93.2%

Summary Sheet

Note - For statistical tests, "NS" indicates that the concentration is not statistically different from the control, while "Y" indicates that the concentration is statistically different from the control.



NOTICE

The United States Environmental Protection Agency (EPA), through its Office of Wastewater Management, funded and managed the development of the whole effluent toxicity (WET) Tool described here. This is a tool that calculates WET test endpoints for the EPA-approved WET test methods and is used by EPA internally for analyzing valid WET test data. Neither the EPA nor any of their employees, assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information or process disclosed. Furthermore, the WET Tool is supplied "as-is" without guarantee or warranty, expressed or implied, including without limitation, any warranty of merchantability or fitness for a specific purpose.

Summary Sheet

Facility Analytical Laboratories
Test ID 1700963 City of Caldwell WWTP
Date 1/22/2017
IWC Conc.

Analyst Will Reynolds
Species Ceriodaphnia dubia (water flea)
Test Type Chronic Survival

Input

Number of Organisms Exposed or Counted

Replicate	Concentrations					
	0	0.0975	0.195	0.39	0.695	1
1	1	1	1	1	1	1
2	1	1	1	1	1	1
3	1	1	1	1	1	1
4	1	1	1	1	1	1
5	1	1	1	1	1	1
6	1	1	1	1	1	1
7	1	1	1	1	1	1
8	1	1	1	1	1	1
9	1	1	1	1	1	1
10	1	1	1	1	1	1

Number of Organisms Surviving or Responding

Replicate	Concentrations					
	0	0.0975	0.195	0.39	0.695	1
1	1	1	0	1	1	1
2	1	1	1	0	1	1
3	1	1	1	1	1	1
4	1	0	1	1	1	1
5	1	1	0	1	1	1
6	0	0	1	1	1	1
7	1	1	1	1	1	1
8	0	1	1	1	1	1
9	1	1	1	1	1	1
10	1	1	1	1	1	1

Total Organisms	10	10	10	10	10	10
Total Responding	8	8	8	9	10	10
% Responding	80.0%	80.0%	80.0%	90.0%	100.0%	100.0%

Output

Summary Sheet

Statistical Data	Conc.	Mean	Stdev	CV	Steel test
Statistics are based on the transformed data used for endpoint calculations	0	0.942	0.221	0.234	NS
	0.0975	0.942	0.221	0.234	NS
	0.195	0.942	0.221	0.234	NS
	0.39	0.995	0.166	0.166	NS
	0.695	1.047	0.000	0.000	NS
	1	1.047	0.000	0.000	NS


NOEC	LOEC	IC25	95% Confidence Intervals	
1	>1	>1	N/A	N/A

TST	Calculated t-value	Table t-value	Relative % Effect at IWC
-----	--------------------	---------------	--------------------------

MSD	PMSD
0.172	26.3%

Note - For statistical tests, "NS" indicates that the concentration is not statistically different from the control, while "Y" indicates that the concentration is statistically different from the control.

Toxicity Test Results



NOTICE

The United States Environmental Protection Agency (EPA), through its Office of Wastewater Management, funded and managed the development of the whole effluent toxicity (WET) Tool described here. This is a tool that calculates WET test endpoints for the EPA-approved WET test methods and is used by EPA internally for analyzing valid WET test data. Neither the EPA nor any of their employees, assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information or process disclosed. Furthermore, the WET Tool is supplied "as-is" without guarantee or warranty, expressed or implied, including without limitation, any warranty of merchantability or fitness for a specific purpose.

Ceriodaphnia dubia Stock Culture Log

Month/Year: January 2017

Trans. Data											Board#:
Start Date:	1-10-17	End Date:									Time
1-10-17	0	✓	✓	✓	✓	✓	✓	✓	✓	✓	1350
1-11-17	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	1350
1-12-17	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	1350
1-13-17	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	1140
1-14	4	1/7	1/5	✓	1/6	1/4	1/6	1/6	1/7	1/7	1510
1-15	5	✓	✓	✓	✓	✓	✓	✓	✓	✓	1410
1-16	6	2/8	2/11	D	2/11	2/10	2/14	2/17	2/13	2/12	1400
1-17	7	3/20	3/19	↓	3/18	3/18	3/18	3/21	3/24	3/21	3/20
Survival > 80%:	yes/no	4	Average offspring per female > 20:						yes/no	yes/no	1700

Trans. Data											Board#:
Start Date:	1-10	End Date:									2
1-10-17	0	✓	✓	✓	✓	✓	✓	✓	✓	✓	1400
1-11-17	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	1400
1-12-17	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	1400
1-13-17	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	1405
1-14	4	1/6	1/5	1/7	1/6	1/6	1/6	1/7	1/4	1/5	1515
1-15	5	✓	✓	✓	✓	✓	✓	✓	✓	✓	1415
1-16	6	2/11	2/13	2/12	2/11	2/10	2/14	2/12	2/14	2/13	1405
1-17	7	3/13	3/20	3/18	3/21	3/11	3/21	3/12	3/16	3/19	3/17
Survival > 80%:	yes/no	yes/no	Average offspring per female > 20:						yes/no	yes/no	1205

Trans. Data											Board#:
Start Date:	1-10	End Date:									3
1-10-17	0	✓	✓	✓	✓	✓	✓	✓	✓	✓	1410
1-11-17	1	✓	✓	✓	✓	✓	✓	✓	✓	✓	1410
1-12-17	2	✓	✓	✓	✓	✓	✓	✓	✓	✓	1410
1-13-17	3	✓	✓	✓	✓	✓	✓	✓	✓	✓	1450
1-14	4	1/7	1/7	1/4	1/6	✓	1/6	✓	1/6	✓	1520
1-15	5	✓	✓	✓	✓	✓	✓	✓	✓	✓	1425
1-16	6	2/11	2/9	2/10	2/10	D	2/11	1/18	2/13	1/17	2/12
1-17	7	3/23	3/20	3/19	3/19	↓	3/18	✓	3/17	✓	3/20
Survival > 80%:	yes/no	yes/no	Average offspring per female > 20:						yes/no	yes/no	1710

* Stock cultures ran simultaneously with City of Caldwell WETT
(permit #ID 0021504)

* Substitute Control

Summary Sheet

Facility Analytical Laboratories
Test ID 1700963 City of Caldwell WWTP
Date 1/22/2017
IWC Conc.

Analyst Will Reynolds
Species Ceriodaphnia dubia (water flea)
Test Type Reproduction

Input

Replicate	Concentrations					
	0	0.0975	0.195	0.39	0.695	1
1	35	2	0	21	34	37
2	35	3	15	0	44	44
3	0	7	22	31	22	35
4	15	0	18	36	40	35
5	32	0	0	5	27	37
6	38	0	19	20	22	24
7	44	20	17	20	32	37
8	44	23	14	26	41	38
9	40	19	6	22	40	21
10	40	41	33	23	31	37

Mean	32.300	11.500	14.400	20.400	33.300	34.000
Stdev	14.072	13.786	10.167	10.803	7.931	6.976

Output

Statistical Data	Conc.	Mean	Stdev	CV	
	0	32.300	14.072	0.436	Steel test
	0.0975	11.500	13.786	1.199	Y
	0.195	14.400	10.167	0.706	Y
	0.39	20.400	10.803	0.530	NS
	0.695	33.300	7.931	0.238	NS
	1	34.000	6.976	0.205	NS


NOEC	LOEC	IC25	95% Confidence Intervals	
1	>1	>1	N/A	N/A

TST	Calculated t-value	Table t-value	Relative % Effect at IWC
-----	--------------------	---------------	--------------------------

MSD	PMSD
11.241	34.8%

Summary Sheet

Note - For statistical tests, "NS" indicates that the concentration is not statistically different from the control, while "Y" indicates that the concentration is statistically different from the control.



NOTICE

The United States Environmental Protection Agency (EPA), through its Office of Wastewater Management, funded and managed the development of the whole effluent toxicity (WET) Tool described here. This is a tool that calculates WET test endpoints for the EPA-approved WET test methods and is used by EPA internally for analyzing valid WET test data. Neither the EPA nor any of their employees, assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information or process disclosed. Furthermore, the WET Tool is supplied "as-is" without guarantee or warranty, expressed or implied, including without limitation, any warranty of merchantability or fitness for a specific purpose.

Bench Sheet For Fathead Minnow Survival Test EPA METHOD 1000.0

LAB ID#:

1700963

Analyst: WR

Final Report Review:

SC

Discharged: Effluent

Location: City of Caldwell WWTP

Test Start Date: 1/13/17

Renewal Lab ID#

Day 0,1: 1543 Day 2,3: 1543

Test Stop Date: 1/19/17

Day 4,5,6: 1740

Lab Id/Day:												
Day		0	1	2	3	4	5	6	7			Remarks
Conc:	Beaker#											
Control	1	10	10	10	10	10	10	10	10			
	2	10	10	10	10	10	10	10	10			
	3	10	10	10	10	10	10	10	10			
	4	10	10	10	10	10	10	10	10			
New DO		7.8	7.7	7.9	8.1	8.0	8.1	8.0	8.0			
New pH		7.7	7.6	7.9	7.8	8.2	7.9	7.4	8.0	xxx		
Temp		22.9	23.5	22.7	22.8	22.9	23.1	22.6	22.4	xxx		
Old DO		xxx	6.7	6.7	6.4	6.7	6.6	6.6	6.6	xxx		
Old pH		xxx	7.5	7.6	7.6	7.8	7.7	7.6	7.6	6.2		
Conc:	1	10	10	10	10	10	10	10	10			
<i>19.5°C</i>	2	10	10	10	10	10	10	10	10			
	3	10	10	10	10	10	10	10	10			
	4	10	10	10	10	10	10	10	10			
New DO		7.8	7.9	8.0	8.1	8.0	8.2	8.2	8.0	xxx		
New pH		7.7	7.5	7.9	8.0	7.9	7.9	7.4	7.4	xxx		
Temp		22.8	23.7	22.8	23.3	23.3	23.3	22.6	22.4	xxx		
Old DO		xxx	6.6	6.4	6.6	6.7	6.5	6.1	6.2	xxx		
Old pH		xxx	7.5	7.6	7.3	7.7	7.7	7.6	7.6	6.2		
Conc:	1	10	10	10	10	10	10	10	10			
<i>39%</i>	2	10	10	10	10	10	10	10	10			
	3	10	10	10	10	10	10	10	10			
	4	10	10	10	10	10	10	10	10			
New DO		8.1	8.5	8.3	8.6	8.6	8.7	8.5	8.0	xxx		
New pH		7.5	7.5	7.7	7.8	7.7	7.8	7.5	7.5	xxx		
Temp		22.5	23.3	23.0	23.6	23.4	23.0	23.2	23.2	xxx		
Old DO		xxx	6.5	6.2	6.4	6.9	6.4	6.1	6.3	xxx		
Old pH		xxx	7.7	7.7	7.6	7.9	7.7	7.7	7.8	6.3		
Conc:	1	10	10	10	10	10	10	10	10			
<i>69.5°C</i>	2	10	10	10	10	10	10	10	10			
	3	10	10	10	10	10	10	10	10			
	4	10	10	10	10	10	10	10	10			
New DO		8.7	9.0	8.8	9.2	9.1	9.3	9.0	9.0	xxx		
New pH		7.5	7.5	7.6	7.8	7.6	7.6	7.6	7.6	xxx		
Temp		22.8	23.0	22.7	23.4	23.5	23.4	23.7	23.7	xxx		
Old DO		xxx	6.7	6.3	6.4	6.7	6.3	6.0	6.4	xxx		
Old pH		xxx	7.8	7.9	7.8	7.7	7.8	7.8	7.9	6.4		
Conc:	1	10	10	10	10	10	10	10	10			
<i>100%</i>	2	10	10	10	10	10	10	10	10			
	3	10	10	10	9	9	9	9	9			
	4	10	10	10	10	10	10	10	10			
New DO		9.0	9.3	9.2	9.5	9.6	9.7	9.6	9.6	xxx		
New pH		7.6	7.5	7.6	7.6	7.6	7.6	7.7	7.7	xxx		
Temp		23.4	22.5	22.8	23.4	23.5	23.9	23.9	23.9	xxx		
Old DO		xxx	6.8	6.3	6.2	6.7	6.3	5.8	6.3	xxx		
Old pH		xxx	7.9	8.0	7.9	8.1	8.1	8.1	8.1	8.0		
Feeding	A.M.	xxx	cp	cp	ur	ur	ur	ur	ur	xxx		
	P.M.	WR	cp	cp	ur	ur	ur	ur	ur	xxx		

Summary Sheet

Facility Analytical Laboratories
Test ID 1700963 City of Caldwell WWTP
Date 1/22/2017
IWC Conc.

Analyst Will Reynolds
Species Pimephales promelas (fathead minnow)
Test Type Chronic Survival

Input

Number of Organisms Exposed or Counted

Replicate	Concentrations					
	0	<u>0.0975</u>	<u>0.195</u>	<u>0.39</u>	<u>0.695</u>	<u>1</u>
1	10	10	10	10	10	10
2	10	10	10	10	10	10
3	10	10	10	10	10	10
4	10	10	10	10	10	10

Number of Organisms Surviving or Responding

Replicate	Concentrations					
	0	<u>0.0975</u>	<u>0.195</u>	<u>0.39</u>	<u>0.695</u>	<u>1</u>
1	10	10	10	10	10	10
2	9	10	10	10	10	10
3	10	10	10	10	10	9
4	10	10	10	10	10	10


Total Organisms	40	40	40	40	40	40
Total Responding	39	40	40	40	40	39
% Responding	97.5%	100.0%	100.0%	100.0%	100.0%	97.5%
Output						

Summary Sheet

Statistical Data	Conc.	Mean	Stdev	CV	Steel test
Statistics are based on the transformed data used for endpoint calculations	0	1.371	0.081	0.059	
	0.0975	1.412	0.000	0.000	NS
	0.195	1.412	0.000	0.000	NS
	0.39	1.412	0.000	0.000	NS
	0.695	1.412	0.000	0.000	NS
	1	1.371	0.081	0.059	NS

NOEC	LOEC	IC25	95% Confidence Intervals	
1	>1	>1	N/A	N/A
TST	Calculated t-value	Table t-value	Relative % Effect at IWC	
MSD	PMSD			
0.037	3.8%			

Note - For statistical tests, "NS" indicates that the concentration is not statistically different from the control, while "Y" indicates that the concentration is statistically different from the control.



NOTICE

The United States Environmental Protection Agency (EPA), through its Office of Wastewater Management, funded and managed the development of the whole effluent toxicity (WET) Tool described here. This is a tool that calculates WET test endpoints for the EPA-approved WET test methods and is used by EPA internally for analyzing valid WET test data. Neither the EPA nor any of their employees, assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information or process disclosed. Furthermore, the WET Tool is supplied "as-is" without guarantee or warranty, expressed or implied, including without limitation, any warranty of merchantability or fitness for a specific purpose.

BENCH SHEET FOR FATHEAD MINNOW INITIAL WEIGHT DATA EPA METHOD 1000.0

LAB ID#: 1700968

Test Start Date: 1/10/17

Drying Temp: 100°C

Weighing Date: 1/11/17

Test End Date: 1/17/17

Drying Time: 24 hours

Location/Client: City of Caldwell WEF

Rep No.	Weight of Boat (g)	Boat and Dry Weight of Larvae			No. of Larvae	Mean Dry Weight of Larvae (mg)	Average
		Dry Boat	Larvae (g)	Dry Weight of Larvae (g)			
Initial	I1	1.2879	1.2891	.0012	10	.12 mg	0.13 mg
	I2	1.2928	1.2940	.0012	10	.12 mg	
	I3	1.2912	1.2924	.0012	10	.12 mg	
	I4	1.2919	1.2933	.0014	10	.14 mg	

Reviewed By: SC

Fathead Minnow Weight Data EPA METHOD 1000.0

LAB ID#: 1700963

Test Start Date: 1/10/17

Drying Temp: 100°C

Weighing Date: 1/18/17

Test End Date: 1/17/17

Drying Time: 24 hours

Location/Client: City of Caldwell WWTP

Conc.	ID No.	Weight of					
		Weight of Boat (g)	Boat and Dry Larvae (g)	Dry Weight of Larvae (g)	Original No. of Larvae	Mean Dry Weight of Larvae (mg)	Avg - Initial = Net Weight Gain
CONTROL	1	1.2818	1.2863	0.0053	10	.53	0.51 mg - 0.13 mg = 0.38 mg
	2	1.2788	1.2837	0.0049	1	.49	
	3	1.2763	1.2804	0.0041		.41	
	4	1.2706	1.2767	0.0061		.61	
0.75%	x5	1.2948	1.2998	0.0050		.50	0.49 mg - 0.13 mg = 0.36 mg
	x6	1.2645	1.2689	0.0044		.44	
	x7	1.2971	1.3017	0.0046		.46	
	x8	1.2888	1.2945	0.0057		.57	
	x9	1.2907	1.2956	0.0049		.49	
19.5%	x10	1.2962	1.3007	0.0045		.45	0.50 mg - 0.13 mg = 0.37 mg
	x11	1.2977	1.3031	0.0054		.54	
	x12	1.2869	1.2920	0.0051		.51	
	x13	1.2949	1.2997	0.0048		.48	
39%	x14	1.2980	1.3031	0.0051		.51	0.48 mg - 0.13 mg = 0.35 mg
	x15	1.2909	1.2958	0.0049		.49	
	x16	1.2866	1.2909	0.0043		.43	
	x17	1.2931	1.2976	0.0045		.45	
69.5%	x18	1.2984	1.3038	0.0054		.54	0.49 mg - 0.13 mg = 0.36 mg
	x19	1.2938	1.2990	0.0052		.52	
	x20	1.2895	1.2938	0.0043		.43	
	x21	1.2914	1.2968	0.0054		.54	
100%	x22	1.2954	1.2999	0.0045		.45	0.55 mg - 0.13 mg = 0.42 mg
	x23	1.2981	1.3043	0.0062		.62	
	x24	1.2982	1.3040	0.0058	↓	.58	

Reviewed By: SC

Summary Sheet

Facility Analytical Laboratories
Test ID 1700963 City of Caldwell WWTP
Date 1/22/2017
IWC Conc.

Analyst Will Reynolds
Species Pimephales promelas (fathead minnow)
Test Type Growth

Input

Replicate	Concentrations					
	0	0.0975	0.195	0.39	0.695	1
1	0.53	0.5	0.49	0.48	0.45	0.54
2	0.49	0.44	0.45	0.51	0.54	0.45
3	0.41	0.46	0.54	0.49	0.52	0.62
4	0.61	0.57	0.51	0.43	0.43	0.58

Mean	0.510	0.493	0.498	0.478	0.485	0.548
Stdev	0.083	0.057	0.038	0.034	0.053	0.073

Output

Statistical Data	Conc.	Mean	Stdev	CV	Dunnett test
	0	0.510	0.083	0.163	
	0.0975	0.493	0.057	0.116	NS
	0.195	0.498	0.038	0.076	NS
	0.39	0.478	0.034	0.071	NS
	0.695	0.485	0.053	0.110	NS
	1	0.548	0.073	0.133	NS


NOEC	LOEC	IC25	95% Confidence Intervals	
1	>1	>1	N/A	N/A

TST	Calculated t-value	Table t-value	Relative % Effect at IWC

MSD	PMSD
0.101	19.7%

Summary Sheet

Note - For statistical tests, "NS" indicates that the concentration is not statistically different from the control, while "Y" indicates that the concentration is statistically different from the control.



NOTICE

The United States Environmental Protection Agency (EPA), through its Office of Wastewater Management, funded and managed the development of the whole effluent toxicity (WET) Tool described here. This is a tool that calculates WET test endpoints for the EPA-approved WET test methods and is used by EPA internally for analyzing valid WET test data. Neither the EPA nor any of their employees, assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information or process disclosed. Furthermore, the WET Tool is supplied "as-is" without guarantee or warranty, expressed or implied, including without limitation, any warranty of merchantability or fitness for a specific purpose.

BENCH SHEET FOR *S. capicornutum* ALGAL GROWTH TEST.

EPA METHOD 1003.0

1700963

LAB ID# *1701543cp* Analyst: *WR/cp*

Final Report Review: *SC*

Discharged: *Effluent*

Test Start Date/Time: *9:45 AM 1/17/17, 1600*

Description: *City of Caldwell WWTP*

Test Stop Date/Time: *1/21/17, 1500*

Lab Id # used to make dilutions: *1701543*

Daily pH and Temp.

CONCENTRATION	Day 0		Day 1		Day 2		Day 3		Day 4		Comments
	pH	Temp									
Control	7.9	23.6	9.6	23.6	10.5	23.7	10.5	24.4	10.7	24.3	
9.75%	7.8	24.1	9.6	23.6	10.7	24.2	10.8	24.1	10.8	24.4	
19.5%	7.8	24.1	9.6	23.8	10.8	24.3	11.0	24.2	10.9	24.6	
39%	7.8	23.9	9.5	24.0	10.7	24.3	10.8	24.0	10.9	24.6	
69.5%	7.8	23.8	9.4	24.2	10.7	24.2	10.9	23.9	10.9	24.7	
100%	7.7	24.1	9.3	23.2	10.6	24.4	10.7	24.2	10.9	24.8	

BENCH SHEET FOR *S. capicornutum* ALGAL GROWTH TEST

EPA TEST

METHOD 1003.0

LAB ID# 1700963 ANALYST cwp FINAL REPORT REVIEW: SC
 DISCHARGED: Effluent TEST START DATE/TIME: 1/17/17, 1600
 DESCRIPTION: City of Caldwell WWTP TEST END DATE/TIME: 1/21/17, 1500
 Lab ID# used to make Dilutions: 1701543

Initial Algae Count (cells/mL)


	Random Sample #1	Random Sample #2	Random Sample #3	Random Sample #4	Initial Average
	Absorbance Value: .016 Cells/mL: .52	Absorbance Value: .016 Cells/mL: .52	Absorbance Value: .018 Cells/mL: .58	Absorbance Value: .019 Cells/mL: .61	Absorbance Value: Cells/mL: .017 .56

Final Algae Count (cells/mL)

CONCENTRATION	Rep. 1	Rep. 2	Rep. 3	Rep. 4	Average
CONTROL	Absorbance Value: .073 Cells/mL: .223	Absorbance Value: .075 Cells/mL: .229	Absorbance Value: .081 Cells/mL: .247	Absorbance Value: .062 Cells/mL: .190	Absorbance Value: .073 Cells/mL: .223
9.75%	Absorbance Value: .080 Cells/mL: .244	Absorbance Value: .085 Cells/mL: .259	Absorbance Value: .082 Cells/mL: .250	Absorbance Value: .063 Cells/mL: .193	Absorbance Value: .078 Cells/mL: .237
19.5%	Absorbance Value: .099 Cells/mL: .301	Absorbance Value: .100 Cells/mL: .304	Absorbance Value: .102 Cells/mL: .310	Absorbance Value: .078 Cells/mL: .238	Absorbance Value: .095 Cells/mL: .289
39%	Absorbance Value: .127 Cells/mL: .385	Absorbance Value: .128 Cells/mL: .388	Absorbance Value: .126 Cells/mL: .382	Absorbance Value: .076 Cells/mL: .232	Absorbance Value: .114 Cells/mL: .347
69.5%	Absorbance Value: .169 Cells/mL: .511	Absorbance Value: .177 Cells/mL: .535	Absorbance Value: .179 Cells/mL: .541	Absorbance Value: .116 Cells/mL: .352	Absorbance Value: .160 Cells/mL: .485
100%	Absorbance Value: .237 Cells/mL: .715	Absorbance Value: .244 Cells/mL: .736	Absorbance Value: .232 Cells/mL: .700	Absorbance Value: .138 Cells/mL: .418	Absorbance Value: .213 Cells/mL: .643

*Cells/mL are shown in millions

*Absorbance values (AV) obtained from Spectronic 601 spectrophotometer are used to determine cells/mL based on a standardized linear relationship ($(3 \times 10^7)(AV) + 44311$).

Selenastrum capicornutum Conversion Chart

Summary Sheet

Facility Analytical Laboratories
Test ID 1700963 City of Caldwell WWTP
Date 1/22/2017
IWC Conc.

Analyst Will Reynolds
Species Selenastrum capricornutum (green algae)
Test Type Growth

Input

Replicate	Concentrations					
	0	0.0975	0.195	0.39	0.695	1
1	2.23	2.44	3.01	3.85	5.11	7.15
2	2.29	2.59	3.04	3.88	5.35	7.36
3	2.47	2.5	3.1	3.82	5.41	7
4	1.9	1.93	2.38	2.32	3.52	4.18

Mean	2.223	2.365	2.883	3.468	4.848	6.423
Stdev	0.238	0.296	0.337	0.765	0.894	1.502

Output

Statistical Data	Conc.	Mean	Stdev	CV	Steel test
	0	2.223	0.238	0.107	
	0.0975	2.365	0.296	0.125	NS
	0.195	2.883	0.337	0.117	NS
	0.39	3.468	0.765	0.221	NS
	0.695	4.848	0.894	0.185	NS
	1	6.423	1.502	0.234	NS


NOEC	LOEC	IC25	95% Confidence Intervals	
1	>1	>1	N/A	N/A

TST	Calculated t-value	Table t-value	Relative % Effect at IWC

MSD	PMSD
1.374	61.8%

Summary Sheet

Note - For statistical tests, "NS" indicates that the concentration is not statistically different from the control, while "Y" indicates that the concentration is statistically different from the control.



NOTICE

The United States Environmental Protection Agency (EPA), through its Office of Wastewater Management, funded and managed the development of the whole effluent toxicity (WET) Tool described here. This is a tool that calculates WET test endpoints for the EPA-approved WET test methods and is used by EPA internally for analyzing valid WET test data. Neither the EPA nor any of their employees, assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information or process disclosed. Furthermore, the WET Tool is supplied "as-is" without guarantee or warranty, expressed or implied, including without limitation, any warranty of merchantability or fitness for a specific purpose.

CLIENT CODE =

CHAIN OF CUSTODY RECORD

CHAIN OF CUSTODY RECORD							
CLIENT INFORMATION:				PROJECT INFORMATION:			
Project Manager: <u>Selina Deesola</u>		Project Name: <u>ANALYTICAL LABS, INC.</u>					
Company: <u>CACI w/w</u>		PWS Number: <u>1804 N. 33rd Street • Boise, ID 83703</u>					
Address: <u>208 Johnson LN</u>		(208) 342-5515 • Fax: (208) 342-5591 • 1-800-574-5773					
Phone: <u>(423) 55-3027</u>		Purchase Order Number: <u>Website: www.analyticallaboratories.com</u>					
Fax: <u>(423) 55-3027</u>		E-mail: <u>ali@analyticallaboratories.com</u>					
Required Due Date: <u>10/17/03</u>							
Sampled by: <u>Robert Dwyer</u> Transported by: <u>(Please print)</u> <u>S. Deesola</u>							
Lab ID	Date Sampled	Time Sampled	Sample Description (Source)	Sample Matrix	Comments	Test Requested	Remarks:
961	1-10-17	07:10	INF-C (2 Bottles)	WATER	✓		FEEDER: 7:02
962	1-10-17	07:22	FE-C (2 Bottles)	154g	✓		
963	1-10-17	07:25	FE-C (3 Bottles)		✓		
964	1-10-17	07:25	FE-C		✓		
965	1-10-17	07:25	FE-C		✓		
	1-10-17	07:25	FE-C		✓		
	1-10-17	07:25	FE-C		✓		
	1-10-17	07:39	FE-C		✓		
Invoice to: (If different than above address)				Special Instructions: <u>084 and unfiltered</u>			
ALLOCATIONS OF RISK: Analytical Laboratories, Inc. will perform preparation and testing services, obtain findings and prepare reports in accordance with Good Laboratory Practices (GLP). If, for any reason, Analytical Laboratories, Inc. errors in the conduct of a test or procedure, their liability shall be limited to the cost of the test or procedure completed in error. Under no circumstances will Analytical Laboratories, Inc. be liable for any other cost associated with obtaining a sample or use of data.							
Note: Samples are discarded <u>2</u> days after results are reported. Hazardous samples will be returned to client or disposed of at client expense.							
Relinquished By: (Signature) <u>Robert Dwyer</u>	Print Name: <u>Robert Dwyer</u>	Company: <u>CACI w/w</u>	Date: <u>1-10-17</u>	Time: <u>0825</u>			
Received By: (Signature) <u>Tom Saylor</u>	Print Name: <u>Tom Saylor</u>	Company: <u>Y/N/A</u>	Date: <u>1-10-17</u>	Time: <u>1040</u>			
Relinquished By: (Signature) <u>Tom Saylor</u>	Print Name: <u>Tom Saylor</u>	Company: <u>Y/N/A</u>	Date: <u>1-10-17</u>	Time: <u>1215</u>			
SAMPLE RECEIPT Total # of Containers: <u>12</u>	Chains of Custody Seals Y / N / A		Intact: <u>Y / N / A</u>	Temperature Received: <u>50°</u>	Condition: <u>GOOD</u>		
WHITE STAYS WITH SAMPLE(S)		YELLOW LAB PINK SAMPLER					
REV 2/19/02							



Analytical Laboratories, Inc.

1804 N. 33rd Street
Boise, Idaho 83703
Phone (208) 342-5515

Date Report Printed: 1/23/2017 1:13:05 PM
<http://www.analyticallaboratories.com>
These test results relate only to the items tested.

Laboratory Analysis Report

Sample Number: 1700963

Attn: SALVADOR ARREOLA
CALDWELL WASTEWATER
PO BOX 1179
CALDWELL, ID 83607

Collected By: R. HAWKER

Submitted By: S. CURTIS

Source of Sample:

FE-C BIO DAY 1

Time of Collection: 7:25

Date of Collection: 1/10/2017

Date Received: 1/10/2017

Report Date: 1/23/2017

PWS#:

Field Temp:

Temp Revd in Lab: 5.0 °C

PWS Name:

Test Requested	MCL	Analysis Result	Units	MDL	Method	Date Completed	Analyst
Ceriodaphnia dubia	*				EPA 1002.0	1/23/2017	WR
Pimephales promela	*				EPA 1000.0	1/23/2017	WR
Selenastrum	*				EPA 1003.0	1/23/2017	WR
Ammonia Direct (as N)	<0.04		mg/L	0.04	EPA 350.1	1/14/2017	CJS
Alkalinity	166		mg/L		EPA 310.1	1/13/2017	CJS
Chlorine Residual, Cl2	<0.10		mg/L	0.10	EPA 330.5	1/10/2017	NC
Conductivity	703		umhos	2	EPA 120.1	1/10/2017	NC
Hardness	141		mg/L	5.0	SM 2340	1/13/2017	CJS
pH	7.3		S.U.		SM 4500-H B	1/10/2017	NC



Analytical Laboratories, Inc.

1804 N. 33rd Street
Boise, Idaho 83703
Phone (208) 342-5515

Date Report Printed: 1/17/2017 12:12:26 PM
<http://www.analyticallaboratories.com>
These test results relate only to the items tested.

Laboratory Analysis Report

Sample Number: 1701343

Attn: SALVADOR ARREOLA
CALDWELL WASTEWATER
PO BOX 1179
CALDWELL, ID 83607

Collected By: R. HAWKER

Submitted By: C. PATE

Source of Sample:

FE-C BIO DAY 2

Time of Collection: 7:47

Date of Collection: 1/12/2017

Date Received: 1/12/2017

Report Date: 1/17/2017

PWS#:

Field Temp:

Temp Revd in Lab: 5.3 °C

PWS Name:

Test Requested	MCL	Analysis Result	Units	MDL	Method	Date Completed	Analyst
Ammonia Direct (as N)		0.06	mg/L	0.04	EPA 350.1	1/14/2017	CJS
Alkalinity		169	mg/L		EPA 310.1	1/13/2017	CJS
Chlorine Residual, Cl2		<0.10	mg/L	0.10	EPA 330.5	1/12/2017	RME
Conductivity		744	umhos	2	EPA 120.1	1/12/2017	NC
Hardness		124	mg/L	5.0	SM 2340	1/13/2017	CJS
pH		7.3	S.U.		SM 4500-H B	1/12/2017	RME

CHAN OF CUSTODY RECORD

CLIENT INFORMATION:

Project Manager: Shawn D'Accordia
 Company: CHD WU

PWS Number:

Purchase Order Number:

Required Due Date:

E-mail Address:

Phone:

Fax:

Sampled by:

(Print)

Colleen Shaukner

Transported by: (Please print)

C. Pate

Sample Description (Source)

Sample Matrix

Remarks:

1591 1-12-11 1638 INF-C
 1542 1645 FE-C
 1543 1-13-11 0757 FE-C

WATER

Field temp: 6.2°C

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓

↓



Analytical Laboratories, Inc.

1804 N. 33rd Street
Boise, Idaho 83703
Phone (208) 342-5515

Date Report Printed: 1/23/2017 11:23:15 AM
<http://www.analyticallaboratories.com>
These test results relate only to the items tested.

Laboratory Analysis Report

Sample Number: 1701543

Attn: SALVADOR ARREOLA
CALDWELL WASTEWATER
PO BOX 1179
CALDWELL, ID 83607

Collected By: R. HAWKER
Submitted By: C. PATE

Source of Sample:

FE-C BIO DAY 3

Time of Collection: 7:57

Date of Collection: 1/13/2017

Date Received: 1/13/2017

Report Date: 1/23/2017

PWS#:

Field Temp: Temp Rcvd in Lab: 3.7 °C

PWS Name:

Test Requested	MCL	Analysis Result	Units	MDL	Method	Date Completed	Analyst
Ammonia Direct (as N)		<0.04	mg/L	0.04	EPA 350.1	1/14/2017	CJS
Alkalinity		174	mg/L		EPA 310.1	1/19/2017	CJS
Chlorine Residual, Cl2		<0.10	mg/L	0.10	EPA 330.5	1/13/2017	JD
Conductivity		795	umhos	2	EPA 120.1	1/13/2017	JD
Hardness		149	mg/L	5.0	SM 2340	1/19/2017	CJS
pH		7.2	S.U.		SM 4500-H B	1/13/2017	JD

CHAIN OF CUSTODY RECORD



Analytical Laboratories, Inc.

1804 N. 33rd Street
Boise, Idaho 83703
Phone (208) 342-5515

Date Report Printed: 1/23/2017 7:26:22 AM
<http://www.analyticallaboratories.com>
These test results relate only to the items tested.

Laboratory Analysis Report

Sample Number: 1701740

Attn: SALVADOR ARREOLA
CALDWELL WASTEWATER
PO BOX 1179
CALDWELL, ID 83607

Collected By: R. HAWKER
Submitted By: S. CURTIS

Source of Sample:

FE-C BIO MONITORING DAY 4

Time of Collection: 7:10

Date of Collection: 1/16/2017

Date Received: 1/16/2017

Report Date: 1/23/2017

PWS#:

Field Temp: 3.8 °C

Temp Revd in Lab: 2.6 °C

PWS Name:

DAY 4 DUE TO LATE DELIVERY OF TESTER FISH

Test Requested	MCL	Analysis Result	Units	MDL	Method	Date Completed	Analyst
Ammonia Direct (as N)		<0.04	mg/L	0.04	EPA 350.1	1/20/2017	CJS
Alkalinity		178	mg/L CaCO ₃		EPA 310.1	1/19/2017	CJS
Chlorine Residual, Cl ₂		<0.10	mg/L	0.10	EPA 330.5	1/16/2017	DS
Conductivity		737	umhos	2	EPA 120.1	1/17/2017	CJS
Hardness		150	mg/L	5.0	SM 2340	1/19/2017	CJS
pH		7.1	S.U.		SM 4500-H B	1/16/2017	DS

CHAIN OF CUSTODY RECORD



Analytical Laboratories, Inc.

1804 N. 33rd Street
Boise, Idaho 83703
Phone (208) 342-5515

Date Report Printed: 1/24/2017 11:12:19 AM
<http://www.analyticallaboratories.com>
These test results relate only to the items tested.

Laboratory Analysis Report

Sample Number: 1702760

Attn: SALVADOR ARREOLA
CALDWELL WASTEWATER
PO BOX 1179
CALDWELL, ID 83607

Collected By:

Submitted By:

Source of Sample:

ADDN. TESTING FOR LAB ID 1700963 CONTROL

Time of Collection: 15:00

Date of Collection: 1/17/2017

Date Received: 1/17/2017

Report Date: 1/24/2017

PWS#:

Field Temp:

Temp Rcvd in Lab:

PWS Name:

Test Requested	MCL	Analysis Result	Units	MDL	Method	Date Completed	Analyst
Ammonia Direct (as N)		<0.04	mg/L	0.04	EPA 350.1	1/20/2017	CJS
Alkalinity		100	mg/L CaCO ₃		EPA 310.1	1/19/2017	CJS
Chlorine Residual, Total		<0.10	mg/L	0.10	EPA 330.5	1/17/2017	NC
Conductivity		281	umhos	2	EPA 120.1	1/17/2017	NC
Hardness		109	mg/L	5.0	SM 2340	1/19/2017	CJS
pH		6.8	S.U.		EPA 150.1	1/17/2017	JMS



Analytical Laboratories, Inc.

1804 N. 33rd Street
Boise, Idaho 83703
Phone (208) 342-5515

Date Report Printed: 1/23/2017 7:26:22 AM
<http://www.analyticallaboratories.com>
These test results relate only to the items tested.

Laboratory Analysis Report

Sample Number: 1702053

Attn: SALVADOR ARREOLA
CALDWELL WASTEWATER
PO BOX 1179
CALDWELL, ID 83607

Collected By: W. REYNOLDS
Submitted By: W. REYNOLDS

Source of Sample:

ADDN. TESTING FOR LAB ID 170963 9.75%

Time of Collection: 15:00

Date of Collection: 1/17/2017

Date Received: 1/17/2017

Report Date: 1/23/2017

PWS#:

Field Temp:

Temp Revd in Lab:

PWS Name:

Test Requested	MCL	Analysis Result	Units	MDL	Method	Date Completed	Analyst
Ammonia Direct (as N)		<0.04	mg/L	0.04	EPA 350.1	1/20/2017	CJS
Alkalinity		98.6	mg/L CaCO ₃		EPA 310.1	1/19/2017	CJS
Chlorine Residual, Total		<0.10	mg/L	0.10	EPA 330.5	1/17/2017	JD
Conductivity		310	umhos	2	EPA 120.1	1/17/2017	JD
Hardness		115	mg/L	5.0	SM 2340	1/19/2017	CJS
pH		6.8	S.U.		EPA 150.1	1/17/2017	JD



Analytical Laboratories, Inc.

1804 N. 33rd Street
Boise, Idaho 83703
Phone (208) 342-5515

Date Report Printed: 1/23/2017 7:26:22 AM
<http://www.analyticallaboratories.com>
These test results relate only to the items tested.

Laboratory Analysis Report

Sample Number: 1702054

Attn: SALVADOR ARREOLA
CALDWELL WASTEWATER
PO BOX 1179
CALDWELL, ID 83607

Collected By: W. REYNOLDS
Submitted By: W. REYNOLDS

Source of Sample:

ADDN. TESTING FOR LAB ID 170963 39%

Time of Collection: 15:00

Date of Collection: 1/17/2017

Date Received: 1/17/2017

Report Date: 1/23/2017

PWS#:

Field Temp:

Temp Rcvd in Lab:

PWS Name:

Test Requested	MCL	Analysis Result	Units	MDL	Method	Date Completed	Analyst
Ammonia Direct (as N)	<0.04		mg/L	0.04	EPA 350.1	1/20/2017	CJS
Alkalinity	131		mg/L CaCO ₃		EPA 310.1	1/19/2017	CJS
Chlorine Residual, Total	<0.10		mg/L	0.10	EPA 330.5	1/17/2017	JD
Conductivity	491		umhos	2	EPA 120.1	1/17/2017	JD
Hardness	133		mg/L	5.0	SM 2340	1/19/2017	CJS
pH	6.8		S.U.		EPA 150.1	1/17/2017	JD



Analytical Laboratories, Inc.

1804 N. 33rd Street
Boise, Idaho 83703
Phone (208) 342-5515

Date Report Printed: 1/23/2017 7:26:22 AM
<http://www.analyticallaboratories.com>
These test results relate only to the items tested.

Laboratory Analysis Report

Sample Number: 1702055

Attn: SALVADOR ARREOLA
CALDWELL WASTEWATER
PO BOX 1179
CALDWELL, ID 83607

Collected By: W. REYNOLDS
Submitted By: W. REYNOLDS

Source of Sample:

ADDN. TESTING FOR LAB ID 170963 100%

Time of Collection: 15:00

Date of Collection: 1/17/2017

Date Received: 1/17/2017

Report Date: 1/23/2017

PWS#:

Field Temp:

Temp Recvd in Lab:

PWS Name:

Test Requested	MCL	Analysis Result	Units	MDL	Method	Date Completed	Analyst
Ammonia Direct (as N)		0.04	mg/L	0.04	EPA 350.1	1/20/2017	CJS
Alkalinity		190	mg/L CaCO ₃		EPA 310.1	1/19/2017	CJS
Chlorine Residual, Total		<0.10	mg/L	0.10	EPA 330.5	1/17/2017	JD
Conductivity		793	umhos	2	EPA 120.1	1/17/2017	JD
Hardness		170	mg/L	5.0	SM 2340	1/19/2017	CJS
pH		7.1	S.U.		EPA 150.1	1/17/2017	JD

Table 3: Total Phosphorus Interim Effluent Limits and Compliance Schedule Dates

6	January 31, 2024	Complete Bidding Deliverable: The permittee will provide DEQ and EPA with written notice that the Bid has been awarded.
7	April 30, 2024	Start Construction Deliverable: The permittee will provide DEQ and EPA with a copy of the Notice to Proceed with construction.
8	April 30, 2026	Complete Construction Deliverable: The permittee will provide DEQ and EPA with written notice that the construction is completed.
9	September 30, 2026	Process Optimization and Achieve Final Effluent Limitation Deliverable: The permittee must achieve compliance with the final effluent limitations and provide DEQ and EPA with written notice of compliance with final effluent limitations.

Notes:

1. The annual average total phosphorus concentration and load must be calculated as the sum of all daily discharges measured for total phosphorus during a calendar year, divided by the number of daily discharges measured for total phosphorus during that year.
2. The annual average total phosphorus concentration and load must be reported on the December DMR.

D. Whole Effluent Toxicity Testing Requirements

The permittee must conduct chronic toxicity tests on effluent samples from outfall 001. Testing must be conducted in accordance with subsections 1 through 7, below.

1. Toxicity testing must be conducted on 24-hour composite samples of effluent. In addition, a split of each sample collected must be analyzed for the chemical and physical parameters required in Part I.B, above, with a required effluent sampling frequency of once per month or more frequently, using the sample type required in Part I.B. For parameters for which grab samples are required in Part I.B, grab samples must be taken during the same 24-hour period as the 24-hour composite sample used for the toxicity tests. When the timing of sample collection coincides with that of the sampling required in Part I.B, analysis of the split sample will fulfill the requirements of Part I.B as well.
2. Chronic Test Species and Methods
 - a) For outfall 001, chronic tests must be conducted once per quarter. Quarters are defined as January – March, April through June, July – September, and October – December.
 - b) The permittee must conduct short-term tests with the water flea, *Ceriodaphnia dubia* (survival and reproduction test), the fathead minnow, *Pimephales promelas* (larval survival and growth test), and a green alga, *Selenastrum capricornutum* (growth test) for the first three suites of tests. After this screening period, monitoring must be conducted using the most sensitive species, which is defined below.

- (i) The most sensitive species is the species which, during the screening period, produces the greatest maximum toxicity result in chronic toxic units (TU_c), which is defined in Part I.D.2.d, below.
 - (ii) If all three species produce the identical maximum toxicity result (including no toxicity in 100% effluent) the permittee must use Ceriodaphnia dubia for subsequent tests.
 - (iii) If two species produce the identical maximum toxicity result, which is greater than 1.0 TU_c and also greater than the maximum toxicity result of the third species, the permittee may use either of the two species producing the greater maximum toxicity result for subsequent tests.
- c) The presence of chronic toxicity must be determined as specified in *Short-Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms*, Fourth Edition, EPA/821-R-02-013, October 2002.
 - d) Results must be reported in TU_c (chronic toxic units), which is defined as follows:
 - (i) For survival endpoints, $TU_c = 100/\text{NOEC}$.
 - (ii) For all other test endpoints, $TU_c = 100/\text{IC}_{25}$.
 - (iii) IC_{25} means “25% inhibition concentration.” The IC_{25} is a point estimate of the toxicant concentration, expressed in percent effluent, that causes a 25% reduction in a non-quantal biological measurement (e.g., reproduction or growth) calculated from a continuous model (e.g., Interpolation Method).
 - (iv) NOEC means “no observed effect concentration.” The NOEC is the highest concentration of toxicant, expressed in percent effluent, to which organisms are exposed in a chronic toxicity test [full life-cycle or partial life-cycle (short term) test], that causes no observable adverse effects on the test organisms (i.e., the highest concentration of effluent in which the values for the observed responses are not statistically significantly different from the controls).

3. Quality Assurance

- a) The toxicity testing on each organism must include a series of five test dilutions and a control. The dilution series must include the receiving water concentration (RWC), which is the dilution associated with the average monthly whole effluent toxicity limits, two dilutions above the RWC, and two dilutions below the RWC. The RWCs are:
 - (i) 62% effluent for April – June
 - (ii) 39% effluent for July – March
- b) All quality assurance criteria and statistical analyses used for chronic tests and reference toxicant tests must be in accordance with *Short-Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to*

Freshwater Organisms, Fourth Edition, EPA/821-R-02-013, October 2002, and individual test protocols.

- c) In addition to those quality assurance measures specified in the methodology, the following quality assurance procedures must be followed:
 - (i) If organisms are not cultured in-house, concurrent testing with reference toxicants must be conducted. If organisms are cultured in-house, monthly reference toxicant testing is sufficient. Reference toxicant tests must be conducted using the same test conditions as the effluent toxicity tests.
 - (ii) If either of the reference toxicant tests or the effluent tests do not meet all test acceptability criteria as specified in the test methods manual, the permittee must re-sample and re-test within 14 days of receipt of the test results.
 - (iii) Control and dilution water must be receiving water or lab water, as appropriate, as described in the manual. If the dilution water used is different from the culture water, a second control, using culture water must also be used. Receiving water may be used as control and dilution water upon notification of EPA and IDEQ. In no case shall water that has not met test acceptability criteria be used for either dilution or control.

4. Reporting

- a) The permittee must submit the results of the toxicity tests with the discharge monitoring reports (DMRs). Results must be reported on the DMRs for the last month of the quarter in which the samples were taken.
 - b) The report of toxicity test results must include all relevant information outlined in Section 10, Report Preparation, of *Short-Term Methods for Estimating the Chronic Toxicity of Effluents and Receiving Waters to Freshwater Organisms*, Fourth Edition, EPA/821-R-02-013, October 2002. In addition to toxicity test results, the permittee must report: dates of sample collection and initiation of each test; flow rate at the time of sample collection; and the results of the monitoring required in Part I.B of this permit, for parameters with a required monitoring frequency of once per month or more frequently.
5. Preparation of initial investigation toxicity reduction evaluation (TRE) workplan: By January 31, 2017, the permittee must submit to EPA a copy of the permittee's initial investigation TRE workplan. This plan shall describe the steps the permittee intends to follow in the event that chronic toxicity is detected above the applicable effluent limits in Table 1 of this permit, and must include at a minimum:
- a) A description of the investigation and evaluation techniques that would be used to identify potential causes/sources of toxicity, effluent variability, treatment system efficiency;

- b) A description of the facility's method of maximizing in-house treatment efficiency, good housekeeping practices, and a list of all chemicals used in operation of the facility; and
- c) If a toxicity identification evaluation (TIE) is necessary, who will conduct it (i.e., in-house or other).
- d) The initial investigation TRE workplan must be sent to the following address:

US EPA Region 10
Attn: NPDES WET Coordinator
1200 Sixth Avenue
Suite 900 OWW-191
Seattle, WA 98101-3140

- 6. Accelerated testing: If chronic toxicity is detected above the applicable average monthly limit for whole effluent toxicity in Part I.B or I.C of this permit, the permittee must comply with the following:
 - a) The permittee must conduct six more bi-weekly (every two weeks) chronic toxicity tests, over a 12-week period. This accelerated testing shall be initiated within 10 calendar days of receipt of the test results indicating the initial exceedance.
 - b) The permittee must notify EPA of the exceedance in writing at the address in Part I.C.5.d, above, within 5 calendar days of receipt of the test results indicating the exceedance. The notification must include the following information:
 - (i) A status report on any actions required by the permit, with a schedule for actions not yet completed.
 - (ii) A description of any additional actions the permittee has taken or will take to investigate and correct the cause(s) of the toxicity.
 - (iii) Where no actions have been taken, a discussion of the reasons for not taking action.
 - c) If none of the six accelerated chronic toxicity tests required under Part I.C.6.a are above the applicable average monthly limit in Part I.B or I.C of this permit, the permittee may return to the regular chronic toxicity testing cycle specified in Part I.D.2.a.
 - d) If any of the six accelerated chronic toxicity tests required under Part I.C.6.a are above the applicable average monthly limit in Part I.B or I.C of this permit, then the permittee must implement the initial investigation TRE workplan as described in Part I.D.7.
- 7. Implementation of Initial Investigation TRE Workplan
 - a) The permittee must implement the initial investigation TRE workplan within 48 hours of the permittee's receipt of the accelerated toxicity test result demonstrating an exceedance of the applicable average monthly limit in Part I.B or I.C of this permit.

- (i) If implementation of the initial investigation workplan clearly identifies the source of toxicity to the satisfaction of EPA (e.g., a temporary plant upset), the permittee may return to the regular chronic toxicity testing cycle specified in Part I.D.2.a.
- (ii) If implementation of the initial investigation workplan does not clearly identify the source of toxicity to the satisfaction of EPA, then the permittee must begin implementation of further toxicity reduction evaluation (TRE) requirements in part I.D.8 below.

8. Detailed TRE/TIE

- a) If implementation of the initial investigation workplan does not clearly identify the source of toxicity to the satisfaction of EPA, then, in accordance with the permittee's initial investigation workplan and EPA manual EPA 833-B-99-002 (*Toxicity Reduction Evaluation Guidance for Municipal Wastewater Treatment Plants*), the permittee must develop as expeditiously as possible a more detailed TRE workplan, which includes:
 - (i) Further actions to investigate and identify the cause of toxicity;
 - (ii) Actions the permittee will take to mitigate the impact of the discharge and to prevent the recurrence of toxicity; and
 - (iii) A schedule for these actions.
- b) The permittee may initiate a TIE as part of the overall TRE process described in the EPA acute and chronic TIE manuals EPA/600/6-91/005F (Phase I), EPA/600/R-92/080 (Phase II), and EPA-600/R-92/081 (Phase III).
- c) If the detailed TRE/TIE clearly identifies the source of toxicity to the satisfaction of EPA, the permittee may return to the regular chronic toxicity testing cycle specified in Part I.D.2.a.


9. Inconclusive TRE/TIE

- a) If the detailed TRE described in Part I.D.8 is inconclusive, the permittee must conduct six bi-weekly (every two weeks) chronic toxicity tests, over a 12-week period. This accelerated testing shall be initiated within 10 calendar days of completing the detailed TRE/TIE.
- b) If none of the six accelerated chronic toxicity tests required under Part I.D.9.a exceed the applicable average monthly limit in Part I.B or I.C of this permit, the permittee may return to the regular chronic toxicity testing cycle specified in Part I.D.2.a.
- c) If any of the six accelerated chronic toxicity tests required under Part I.D.9.a exceed the applicable chronic toxicity trigger in Part I.D.6 of this permit, then the permittee must repeat the TRE/TIE process described in Part I.D.8.

E. Surface Water Monitoring

The permittee must conduct surface water monitoring. The program must meet the following requirements:

1300 Blue Spruce Drive, Suite C
Fort Collins, Colorado 80524



Toll Free: 800/331-5916
Tel: 970/484-5091 Fax: 970/484-2514

YTC TOTAL SOLIDS MEASUREMENT
(Method from EPA/505/8-89-002a)

YTC Process Date: 12/21/2016; Best if used by 3-31-2017
Average Total Solids: 1710 mg/l

Ingredient Lot Numbers

Pines International® Wheat Grass: COCDW12S50; Zeigler Finfish Starter #1 (Lot 10-19-2016); Fleischmanns Yeast: G-3

EPA Required Toxic Metals and Pesticide Analyses*


Analyzed Metals	Report Limits	Results (mg/l.)
Aluminum	0.03	0.08
Arsenic	0.001	U
Cadmium	0.001	U
Chromium	0.005	U
Copper	0.05	0.033
Iron	0.02	0.24
Lead	0.001	U
Mercury	0.001	U
Nickel	0.005	U
Silver	0.001	U
Zinc	0.01	0.14

Compounds	Report Limits	Results (ng/L)
Aldrin	0.5	U
alpha-BHC	0.5	U
beta-BHC	0.5	U
delta-BHC	0.5	U
gamma-BHC (Lindane)	0.5	U
alpha-Chlordane	0.5	U
gamma-Chlordane	0.5	U
4,4'-DDD	0.5	U
4,4'-DDE	0.5	U
4,4'-DDT	0.5	U
Dieldrin	0.5	U
Endosulfan I	0.5	U
Endosulfan II	0.5	U
Endosulfan sulfate	0.5	U
Endrin	0.5	U
Endrin aldehyde	0.5	U
Endrin ketone	0.5	U
Heptachlor	0.8	U
Heptachlor epoxide	0.5	U
Methoxychlor	0.5	U
Chlordane (technical)	5.0	U
Toxaphene	25	U
Aroclor-1016	5.0	U
Aroclor-1221	5.0	U
Aroclor-1232	5.0	U
Aroclor-1242	5.0	U
Aroclor-1248	5.0	U
Aroclor-1254	5.0	U
Aroclor-1260	5.0	U
Aroclor-1262	5.0	U
Aroclor-1268	5.0	U

U – Indicates compound was analyzed for but not detected.

*Testing performed by Energy Labs, Billings, Montana

1300 Blue Spruce Drive, Suite C
Fort Collins, Colorado 80524



Toll Free: 800/331-5916
Tel: 970/484-5091 Fax: 970/484-2514

Algae Preparation History

DATE: 12.27.2016

SPECIES: *Raphidocelis subcapitata**

INOCULATION DATE: 12.13.2016

HARVEST DATE: 12.19.2016


CONCENTRATION DATE: 12.21.2016

CELL COUNT (/ml): 3.0×10^7 cells/ml

Comments:

* Formerly known as *Pseudokirchneriella subcapitata* and *Selenastrum capricornutum*

** All concentrated algae diluted to proper cell count with reconstituted moderately hard DI water.


Supervisor

Ceriodaphnia dubia Stock Culture Log

Month/Year: January 2017

Trans.	1	2	3	4	5	6	7	8	9	10	Time
Date											
1/3 0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1/4 1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1020
1/5 2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1300
1/6 3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1405
1/7 4	1/6	1/6	1/7	1/7	1/6	1/6	1/6	1/7	1/8	1/6	1300
1/8 5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1340
1/9 6	2/15	2/12	2/16	2/9	2/13	2/13	2/15	2/9	2/15	2/14	1310
1/10 7	3/20	3/3	3/22	3/21	3/23	3/19	3/21	3/21	3/22	3/21	1335

Survival > 80%:

4

yes/no

Average offspring per female > 20:

yes/no

Start Date: 1/3/17 End Date: 1/12/17 Board#: X2

Trans.	1	2	3	4	5	6	7	8	9	10	Time
Date											
1/3 0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1/4 1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1025
1/5 2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1305
1/6 3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1410
1/7 4	1/6	1/6	1/7	1/6	1/7	1/6	1/5	1/6	1/8	1/7	1310
1/8 5	2/10	2/13	✓	✓	✓	✓	✓	✓	✓	✓	1345
1/9 6	3/4	✓	2/13	2/14	2/13	2/13	2/13	2/13	2/16	2/12	1315
1/10 7	3/16	3/24	3/19	3/23	3/18	3/22	3/21	3/17	3/20	3/20	1350

Survival > 80%:

yes/no

Average offspring per female > 20:

yes/no

Start Date: 1/3/17 End Date: 1/12/17 Board#: X3

Trans.	1	2	3	4	5	6	7	8	9	10	Time
Date											
1/3 0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
1/4 1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1030
1/5 2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	130
1/6 3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1415
1/7 4	1/6	1/7	1/7	1/6	1/6	1/6	1/6	1/7	1/6	1/7	1320
1/8 5	2/17	2/14	✓	✓	✓	✓	✓	✓	✓	✓	1350
1/9 6	✓	✓	2/14	2/14	2/11	2/12	2/11	2/12	2/17	2/17	1320
1/10 7	3/22	3/21	3/21	3/22	3/18	3/21	3/20	3/23	3/25	3/24	1405


Survival > 80%:

yes/no

Average offspring per female > 20:

yes/no

1300 Blue Spruce Drive, Suite C
Fort Collins, Colorado 80524



Toll Free: 800/331-5916
Tel: 970/484-5091 Fax: 970/484-2514

ORGANISM HISTORY

DATE: 1/11/2017

SPECIES: *Pimephales promelas*

AGE: N/A

LIFE STAGE: Embryo


HATCH DATE: 1/11/2017

BEGAN FEEDING: N/A

FOOD: N/A


Water Chemistry Record:	Current	Range
TEMPERATURE:	22°C	--
SALINITY/CONDUCTIVITY:	--	--
TOTAL HARDNESS (as CaCO ₃):	122 mg/l	--
TOTAL ALKALINITY (as CaCO ₃):	90 mg/l	--
pH:	8.30	--

Comments:



Facility Supervisor

1300 Blue Spruce Drive, Suite C
Fort Collins, Colorado 80524



Toll Free: 800/331-5916
Tel: 970/484-5091 Fax: 970/484-2514

Algae Preparation History

DATE: 1/16/2017

SPECIES: Raphidocelis subcapitata*

INOCULATION DATE: 1/3/2017

HARVEST DATE: 1/9/2017


CONCENTRATION DATE: 1/11/2017

CELL COUNT (/ml): 3.0×10^7 cells/ml

Comments:

* Formerly known as *Pseudokirschnerella subcapitata* and *Scenastrum capricornutum*

** All concentrated algae diluted to proper cell count with reconstituted moderately hard DI water.




Supervisor

Literature Cited

1. Short-Term methods for Estimating the Chronic Toxicity of Effluents and receiving Waters to Freshwater Organisms, Fourth Edition. October 2002. EPA-821-R-02-013.
2. Methods for Measuring the Chronic Toxicity of Effluents to Freshwater and Marine Organisms, EPA/600/4-85/013, US EPA.
3. Standard Methods for the Examination of Water and Wastewater, 19 Edition, 1995, APHA, AWWA, WPCF.
4. Handbook for Analytical Quality Control in Water and Wastewater Laboratories, Environmental Monitoring and Support Laboratory, Cincinnati, EPA/600/4-79/019, US EPA

Ceriodaphnia dubia QC Reproduction Data Prior to January 2017

EPA Method 1002.0
Reference Toxicant (NaCl)
Biomonitoring Department
Analytical Laboratories




Ceriodaphnia dubia QC Survival Data Prior to January 2017

EPA Method 1002.0

Reference Toxicant (NaCl)

Biomonitoring Dept.

Analytical Laboratories



BENCH SHEET FOR QC CERIODAPHNIA SURVIVAL/REPRODUCTION TEST.

TEST MONTH Dec 2016Test Start Date/Time: 12/13/16Analyst: WR CPTest Stop Date/Time: 12/20/16, 1130

Conc.	CONTROL	# Young	New D.O.	New pH	Old D.O.	Old pH	Daily Temp
-------	---------	---------	----------	--------	----------	--------	------------

Day-Lab #	1	2	3	4	5	6	7	8	9	10	XXX	XXX	XXX	XXX	XXX	XXX
0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.1	7.7	XXX	XXX	22.6	
1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	7.8	7.6	7.6	7.7	23.0	
2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.1	7.7	8.0	7.8	22.0	
3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	7.8	7.7	7.6	8.0	22.7	
4	1/6	1/9	1/7	1/7	1/4	1/9	1/7	1/9	1/8	1/8	74	8.0	8.0	7.5	8.1	23.0
5	✓	2/4	✓	2/11	✓	✓	✓	2/16	✓	✓	41	8.2	8.1	8.2	8.1	22.3
6	2/14	✓	2/4	✓	2/15	2/16	2/15	✓	2/15	2/17	106	7.8	8.1	7.9	8.2	22.1
7	3/20	3/28	3/22	3/19	3/24	3/21	3/17	3/23	✓	3/23	192	7.8	7.8	7.8	7.8	
Total	40	46	43	37	43	46	39	48	23	48	413					

Conc.	0.50 g/L	# Young	New D.O.	New pH	Old D.O.	Old pH	Daily Temp
-------	----------	---------	----------	--------	----------	--------	------------

Day-Lab #	1	2	3	4	5	6	7	8	9	10	XXX	XXX	XXX	XXX	XXX	XXX	
0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.1	7.8	XXX	XXX	22.6		
1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	7.9	7.9	7.6	7.9	22.9		
2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.1	7.9	7.9	7.8	22.5		
3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	7.8	7.8	7.7	8.1	22.8		
4	1/6	1/7	1/6	1/8	1/7	1/8	1/7	1/9	✓	1/8	66	7.7	8.1	7.5	8.1	23.2	
5	✓	2/14	✓	✓	✓	✓	✓	✓	2/17	2/16	✓	39	7.7	8.0	7.6	8.1	22.3
6	2/15	✓	2/14	2/12	2/13	2/18	2/15	✓	2/12	2/16	115	8.1	8.1	7.8	8.2	22.7	
7	3/20	3/23	3/19	3/24	3/21	3/21	3/17	3/22	✓	3/23	190	7.8	8.0				
Total	41	46	39	44	41	47	39	48	18	47	410						

Conc.	1.25 g/L	# Young	New D.O.	New pH	Old D.O.	Old pH	Daily Temp
-------	----------	---------	----------	--------	----------	--------	------------

Day-Lab #	1	2	3	4	5	6	7	8	9	10	XXX	XXX	XXX	XXX	XXX	XXX
0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.1	7.8	XXX	XXX	22.5	
1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	7.9	7.8	7.7	7.9	22.9	
2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	8.0	7.8	8.2	7.9	22.7	
3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	7.7	7.9	7.7	8.1	22.9	
4	1/7	1/6	1/6	1/5	1/7	1/6	1/6	1/7	0	1/7	57	7.7	8.1	7.6	8.2	23.2
5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	15	7.7	8.1	7.7	8.1	22.4
6	3/13	2/15	2/12	2/19	2/15	2/11	2/13	✓	2/17	105	8.2	8.2	7.8	8.2	22.9	
7	3/18	3/21	3/18	3/18	3/22	3/17	✓	3/23	✓	3/22	159	7.8	8.2			
Total	38	42	36	37	44	34	19	45	0	46	336					

BENCH SHEET QC CERIODAPHNIA SURVIVAL/REPRODUCTION TEST.

TEST MONTH DEC 2016Test Start Date/Time: 12/13/16, 1130Analyst: CR, CPTest Stop Date/Time: 12/20/16Conc. 2.00 g/L

Day-Lab #	1	2	3	4	5	6	7	8	9	10	# Young	New D.O.	New pH	Old D.O.	Old pH	Daily Temp
0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		8.1	7.9	XXX	XXX	XXX
1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		7.9	7.9	7.7	7.9	22.6
2	✓	✓	✓	✓	✓	D	✓	✓	D	D		8.1	7.9	8.2	7.9	23.0
3	✓	✓	✓	✓	✓		✓	✓		✓		7.8	8.0	7.7	8.1	22.6
4	✓	✓	✓	✓	✓		✓	✓		✓	1/4	4	7.7	8.0	7.8	8.1
5	1/3	✓	✓	✓	✓	1/2	✓			✓	5	7.5	8.1	7.6	8.1	23.1
6	2/10	1/3	✓	2/8		2/10	1/1			2/11	4/3	7.6	8.1	7.6	8.1	22.4
7	✓	2/11	1/6	✓	✓	✓	✓	✓	✓	✓	17	8.2	8.0	8.3	8.1	23.3
Total	13	19	6	8	0	12	1	0	0	15	69					

Conc. 2.75 g/L

Day-Lab #	1	2	3	4	5	6	7	8	9	10	# Young	New D.O.	New pH	Old D.O.	Old pH	Daily Temp
0	X	✓	✓	✓	✓	✓	✓	✓	✓	✓		8.1	7.8	XXX	XXX	22.7
1	X	✓	✓	✓	D	✓	✓	✓	✓	D		7.8	7.9	7.7	8.0	23.1
2		D	P	D	D	D	✓	✓	D			8.0	7.8	8.2	7.9	22.6
3							D					7.7	7.9			
4								D								
5																
6																
7		✓	✓	✓	✓	✓	✓	✓	✓	✓						
Total	0	0	0	0	0	0	0	0	0	0	0					

Conc. 3.50 g/L

Day-Lab #	1	2	3	4	5	6	7	8	9	10	# Young	New D.O.	New pH	Old D.O.	Old pH	Daily Temp
0	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		8.1	7.8	XXX	XXX	XXX
1	D	D	✓	D	D	D	D	D	D	D		7.8	7.9	XXX	XXX	22.6
2		D	D	D	D	D	D	D	D	D		8.0	7.8	7.9	8.0	23.1
3							D									22.5
4																
5																
6																
7			✓	✓	✓	✓	✓	✓	✓	✓						
Total	0	0	0	0	0	0	0	0	0	0	0					

Summary Sheet

Facility Analytical Laboratories
Test ID QC DECEMBER 2016
Date 1/3/2017
IWC Conc.
Analyst Will Reynolds
Species Ceriodaphnia dubia (water flea)
Test Type Chronic Survival

Input

Number of Organisms Exposed or Counted

Replicate	Concentrations					
	<u>0</u>	<u>0.5</u>	<u>1.25</u>	<u>2</u>	<u>2.75</u>	<u>3.5</u>
1	1	1	1	1	1	1
2	1	1	1	1	1	1
3	1	1	1	1	1	1
4	1	1	1	1	1	1
5	1	1	1	1	1	1
6	1	1	1	1	1	1
7	1	1	1	1	1	1
8	1	1	1	1	1	1
9	1	1	1	1	1	1
10	1	1	1	1	1	1

Number of Organisms Surviving or Responding

Replicate	Concentrations					
	<u>0</u>	<u>0.5</u>	<u>1.25</u>	<u>2</u>	<u>2.75</u>	<u>3.5</u>
1	1	1	1	1	0	0
2	1	1	1	1	0	0
3	1	1	1	1	0	0
4	1	1	1	1	0	0
5	1	1	1	0	0	0
6	1	1	1	1	0	0
7	1	1	1	1	0	0
8	1	1	1	0	0	0
9	1	1	0	0	0	0
10	1	1	1	1	0	0

Total Organisms	10	10	10	10	10	10
Total Responding	10	10	9	7	0	0
% Responding	100.0%	100.0%	90.0%	70.0%	0.0%	0.0%
Output						

Summary Sheet


Statistical Data	Conc.	Mean	Stdev	CV	
Statistics are based on the transformed data used for endpoint calculations	0	1.047	0.000	0.000	Steel test
	0.5	1.047	0.000	0.000	NS
	1.25	0.995	0.166	0.166	NS
	2	0.890	0.253	0.284	NS
	2.75				Y
	3.5				Y

NOEC	LOEC	IC25	95% Confidence Intervals	
2	2.75	1.79	1.10	2.11

TST	Calculated t-value	Table t-value	Relative % Effect at IWC
-----	--------------------	---------------	--------------------------

MSD	PMSD
0.134	17.9%

Note - For statistical tests, "NS" indicates that the concentration is not statistically different from the control, while "Y" indicates that the concentration is statistically different from the control.



NOTICE

The United States Environmental Protection Agency (EPA), through its Office of Wastewater Management, funded and managed the development of the whole effluent toxicity (WET) Tool described here. This is a tool that calculates WET test endpoints for the EPA-approved WET test methods and is used by EPA internally for analyzing valid WET test data. Neither the EPA nor any of their employees, assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information or process disclosed. Furthermore, the WET Tool is supplied "as-is" without guarantee or warranty, expressed or implied, including without limitation, any warranty of merchantability or fitness for a specific purpose.

Summary Sheet

Facility	Analytical Laboratories	Analyst	Will Reynolds
Test ID	QC DECEMBER 2016	Species	Ceriodaphnia dubia (water flea)
Date	1/3/2017	Test Type	Reproduction
IWC Conc.			

Input

Replicate	Concentrations					
	<u>0</u>	<u>0.5</u>	<u>1.25</u>	<u>2</u>	<u>2.75</u>	<u>3.5</u>
1	40	41	38	13	0	0
2	46	46	42	14	0	0
3	43	39	36	6	0	0
4	37	44	32	8	0	0
5	43	41	44	0	0	0
6	46	47	34	12	0	0
7	39	39	19	1	0	0
8	48	48	45	0	0	0
9	23	18	0	0	0	0
10	48	47	46	15	0	0

Mean	41.300	41.000	33.600	6.900	0.000	0.000
Stdev	7.454	8.769	14.269	6.315	0.000	0.000

Output

Statistical Data	Conc.	Mean	Stdev	CV	Steel test
	0	41.300	7.454	0.180	
	0.5	41.000	8.769	0.214	NS
	1.25	33.600	14.269	0.425	NS
	2	6.900	6.315	0.915	Y
	2.75	0.000			Y
	3.5	0.000			Y


NOEC	LOEC	IC25	95% Confidence Intervals
1.25	2	1.31	0.92 1.45

TST	Calculated t-value	Table t-value	Relative % Effect at IWC

MSD	PMSD
9.278	22.5%

Summary Sheet

Note - For statistical tests, "NS" indicates that the concentration is not statistically different from the control, while "Y" indicates that the concentration is statistically different from the control.



NOTICE


The United States Environmental Protection Agency (EPA), through its Office of Wastewater Management, funded and managed the development of the whole effluent toxicity (WET) Tool described here. This is a tool that calculates WET test endpoints for the EPA-approved WET test methods and is used by EPA internally for analyzing valid WET test data. Neither the EPA nor any of their employees, assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information or process disclosed. Furthermore, the WET Tool is supplied "as-is" without guarantee or warranty, expressed or implied, including without limitation, any warranty of merchantability or fitness for a specific purpose.

Pimephales promelas QC Growth Data Prior to January 2017

EPA Method 1000.0


Reference Toxicant (NaCl)
Biomonitoring Dept.
Analytical Laboratories

Reference Toxicant Concentration



Pimephales promelas QC Survival Data Prior to January 2017

EPA Method 1000.0
Reference Toxicant (NaCl)
Biomonitoring Dept.
Analytical Laboratories



Bench Sheet For Fathead Minnow QC Survival Test Method 1000.0

Test Month/Year:

Dec 2016

Analyst: WL CP

Test Start Date/Time:

12/13/16

Test Stop Date/Time: 12/20/16

Reference Toxicant Used: Sodium Chloride										
Day		0	1	2	3	4	5	6	7	Remarks
Conc.	Beaker#									
Control	1	10	10	10	10	10	9	9	9	
	2	10	10	10	10	10	10	10	9	
	3	10	10	10	10	10	10	10	10	
	4	10	10	10	10	9	9	9	9	
New DO	XXX	7.7	7.5	7.6	7.7	7.6	8.0	8.5	8.5	XXX
New pH	XXX	7.3	7.5	7.6	7.9	7.9	7.7	8.1	8.1	XXX
Temp	XXX	24.0	23.2	23.7	22.9	22.5	22.7	22.3	22.4	XXX
Old DO	XXX	XXX	6.5	6.3	6.1	5.9	7.0	6.9	7.5	
Old pH	XXX	XXX	7.7	7.7	7.6	7.6	7.6	7.6	7.6	
Conc: 0.25g/L	1	10	10	10	10	10	10	10	8	
	2	10	10	10	10	10	10	9	9	
	3	10	10	10	10	10	10	10	9	
	4	10	10	10	10	10	10	10	10	
New DO	XXX	7.7	7.5	7.6	7.7	7.6	8.0	8.5	8.5	XXX
New pH	XXX	8.0	7.8	8.0	7.7	8.2	7.9	7.9	7.9	XXX
Temp	XXX	23.6	23.2	22.9	22.7	22.6	23.2	22.9	22.9	XXX
Old DO	XXX	XXX	6.3	6.4	6.4	6.0	6.6	6.9	7.4	
Old pH	XXX	XXX	7.6	7.7	7.6	7.6	7.6	7.6	7.4	
Conc: 1.5g/L	1	10	10	10	10	9	7.8	5	2	
	2	10	10	10	10	9	8	8	9	
	3	10	10	10	10	9	8	6	4	
	4	10	10	10	10	9	7	6	5	
New DO	XXX	7.7	7.5	7.5	7.7	7.6	8.0	8.5	8.5	XXX
New pH	XXX	8.0	7.9	8.0	7.9	8.1	7.9	8.0	8.0	XXX
Temp	XXX	23.7	23.2	22.7	23.2	22.7	22.0	23.1	23.1	XXX
Old DO	XXX	XXX	6.6	6.7	6.2	6.2	6.8	7.0	7.6	
Old pH	XXX	XXX	7.7	7.7	7.6	7.7	7.7	7.6	7.6	
Conc: 2.5g/L	1	10	10	10	10	9	8	7	6	
	2	10	10	10	10	10	10	8	4	
	3	10	10	10	10	10	7	8	4	
	4	10	10	10	10	8	6	4	4	
New DO	XXX	7.7	7.5	7.5	7.7	7.6	8.0	8.5	8.5	XXX
New pH	XXX	8.0	7.9	7.9	7.7	8.1	8.0	8.0	8.0	XXX
Temp	XXX	23.5	23.2	22.5	23.7	22.9	22.8	23.0	23.0	XXX
Old DO	XXX	XXX	6.3	6.7	6.6	6.3	6.8	7.1	7.6	
Old pH	XXX	XXX	7.7	7.7	7.7	7.7	7.7	7.6	7.6	
Conc:	1	10	10	10	10	10	10	10	7.6	7.6
Conc: 3.5g/L	2	10	10	10	10	9	8	6	4	
	3	10	10	10	10	10	10	7	6	
	4	10	10	10	9	8	8	5	2	
New DO	XXX	7.7	7.5	7.5	7.7	7.6	8.2	8.5	8.5	XXX
New pH	XXX	8.0	7.9	7.9	7.9	8.1	8.0	8.0	8.0	XXX
Temp	XXX	23.5	23.2	22.8	23.3	23.0	22.8	22.8	22.8	XXX
Old DO	XXX	XXX	6.3	6.8	6.6	6.3	7.0	7.1	7.5	
Old pH	XXX	XXX	7.7	7.8	7.6	7.7	7.8	7.6	7.6	
Conc: 8.5g/L	1	10	10	9	3	3	3	3	2	
	2	10	10	5	0	0	0	0	0	
	3	10	10	3	2	1	0	0	0	
	4	10	10	4	1	0	0	0	0	
New DO	XXX	7.8	7.5	7.5	7.3	7.6	8.2	8.6	8.6	XXX
New pH	XXX	7.7	7.7	7.8	7.8	8.0	7.9	7.9	7.9	XXX
Temp	XXX	23.6	23.4	23.3	23.1	22.8	22.7	22.7	22.7	XXX
Old DO	XXX	XXX	6.9	7.0	6.3	6.3	7.1	7.4	7.2	
Old pH	XXX	XXX	7.6	7.7	7.6	7.7	7.7	7.6	7.7	
Feeding	A.M.	XXX	CP	WR	CP	CP	WR	CP	CP	XXX
	P.M.	WR	WR	WR	CP	CP	WR	WR	WR	XXX

Summary Sheet

Facility	Analytical Laboratories	Analyst	Will Reynolds
Test ID	QC DECEMBER 2016	Species	Pimephales promelas (fathead minnow)
Date	12/20/2016	Test Type	Chronic Survival
IWC Conc.			

Input

Number of Organisms Exposed or Counted

Replicate	Concentrations					
	0	0.25	1.5	2.5	3.5	8.5
1	10	10	10	10	10	10
2	10	10	10	10	10	10
3	10	10	10	10	10	10
4	10	10	10	10	10	10

Number of Organisms Surviving or Responding

Replicate	Concentrations					
	0	0.25	1.5	2.5	3.5	8.5
1	9	8	2	6	4	2
2	9	9	4	4	4	0
3	10	9	4	6	6	0
4	9	10	5	4	2	0

Total Organisms	40	40	40	40	40	40
Total Responding	37	36	15	20	16	2
% Responding	92.5%	90.0%	37.5%	50.0%	40.0%	5.0%
Output						

Summary Sheet


Statistical Data	Conc.	Mean	Stdev	CV	Dunnett test
Statistics are based on the transformed data used for endpoint calculations	0	1.290	0.081	0.063	
	0.25	1.254	0.125	0.099	NS
	1.5	0.655	0.136	0.208	Y
	2.5	0.785	0.116	0.148	Y
	3.5	0.680	0.173	0.254	Y
	8.5	0.235	0.152	0.649	Y

NOEC	LOEC	IC25	95% Confidence Intervals	
0.25	1.5	0.70	0.53	0.81

TST	Calculated t-value	Table t-value	Relative % Effect at IWC
-----	--------------------	---------------	--------------------------

MSD	PMSD
0.160	17.4%

Note - For statistical tests, "NS" indicates that the concentration is not statistically different from the control, while "Y" indicates that the concentration is statistically different from the control.



NOTICE

The United States Environmental Protection Agency (EPA), through its Office of Wastewater Management, funded and managed the development of the whole effluent toxicity (WET) Tool described here. This is a tool that calculates WET test endpoints for the EPA-approved WET test methods and is used by EPA internally for analyzing valid WET test data. Neither the EPA nor any of their employees, assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information or process disclosed. Furthermore, the WET Tool is supplied "as-is" without guarantee or warranty, expressed or implied, including without limitation, any warranty of merchantability or fitness for a specific purpose.

BENCH SHEET FOR FATHEAD MINNOW INITIAL WEIGHT DATA QC EPA METHOD 1000.0

Month/Year: Dec 2016 Test Start Date: 12/13/16 Drying Temp: 100°C

Weighing Date: 12/14/16 Test End Date: 12/16/16 Drying Time: 23 hrs

Location/Client: QC

Rep No.	Weight of Boat (g)	Boat and Dry Larvae		Weight of Larvae (g)	No. of Larvae	Mean Dry Weight of Larvae (mg)	Average
		Dry	Larvae				
Initial	I1	1.2878	1.2892	.004	10	.14	
	I2	1.2924	1.2936	.0012	1	.12	
	I3	1.2913	1.2925	.0012		.12	0.13 mg
	I4	1.2920	1.2934	.0014	↓	.14	

Reviewed By: SC

Fathead Minnow QC Weight Data

Analyst: CR

Test Month/Year: Dec 2016 Drying Temp: 100°C

Weighing Date: 12/21/16 Drying Time: 23 hrs

Conc.	Rep No.	Weight of Boat (g)	Boat and Dry Larvae (g)	Dry Weight of Larvae (g)	No. of Larvae	Mean Dry Weight of Larvae (mg)	Avg.-Init. = Avg. Wt. Gain (mg)
CONTROL	1	1.2810	1.2859	.0049	10	.49	
	2	1.2785	1.2829	.0044	1	.44	$0.44\text{mg} - 0.13\text{mg} = 0.31\text{mg}$
	3	1.2770	1.2814	.0044		.44	
	4	1.2711	1.2751	.0040		.40	
0.25g/L	X5	1.2953	1.2993	.0040		.40	
	X6	1.2652	1.2687	.0035		.35	$0.40\text{mg} - 0.13\text{mg} = 0.27\text{mg}$
	X7	1.2972	1.2913	.0041		.41	
	X8	1.2892	1.2936	.0044		.44	
1.5g/L	X9	1.2910	1.2922	.0012		.12	
	X10	1.2968	1.2977	.0009		.09	$0.11\text{mg} - 0.13\text{mg} = -0.02\text{mg}$
	X11	1.2979	1.2988	.0009		.09	
	X12	1.2912	1.2886	.0014		.14	
2.5g/L	X13	1.2952	1.2973	.0021		.21	
	X14	1.2981	1.2993	.0012		.12	$0.18\text{mg} - 0.13\text{mg} = 0.05\text{mg}$
	X15	1.2911	1.2931	.0020		.20	
	X16	1.2868	1.2887	.0019		.19	
3.5g/L	X17	1.2929	1.2943	.0014		.14	
	X18	1.2988	1.3008	.0020		.20	$0.12\text{mg} - 0.13\text{mg} = -0.01\text{mg}$
	X19	1.2942	1.2954	.0012		.12	
	X20	1.2896	1.2899	.0003		.03	
8.5g/L	X21	1.2917	1.2943	.0008		.08	$0.09\text{mg} - 0.13\text{mg} = -0.04\text{mg} + 0.11\text{mg}$
	X22	1.2952	—				
	X23	1.2985	—				
	X24	1.2985	—				

Reviewed By: SC

Summary Sheet

Facility	Analytical Laboratories	Analyst	Will Reynolds
Test ID	QC DECEMBER 2016	Species	Pimephales promelas (fathead minnow)
Date	12/20/2016	Test Type	Growth
IWC Conc.			

Input

Replicate	Concentrations					
	0	0.25	1.5	2.5	3.5	8.5
1	0.49	0.4	0.12	0.21	0.14	0.08
2	0.44	0.35	0.09	0.12	0.2	0
3	0.44	0.41	0.09	0.2	0.12	0
4	0.4	0.44	0.14	0.19	0.03	0

Mean	0.443	0.400	0.110	0.180	0.123	0.020
Stdev	0.037	0.037	0.024	0.041	0.070	0.040

Output

Statistical Data	Conc.	Mean	Stdev	CV	Dunnett test
	0	0.443	0.037	0.083	
	0.25	0.400	0.037	0.094	NS
	1.5	0.110	0.024	0.223	Y
	2.5	0.180	0.041	0.227	Y
	3.5	0.123	0.070	0.575	Y
	8.5	0.020	0.040	2.000	Y


NOEC	LOEC	IC25	95% Confidence Intervals	
0.25	1.5	0.50	0.39	0.63

TST	Calculated t-value	Table t-value	Relative % Effect at IWC
-----	--------------------	---------------	--------------------------

MSD	PMSD
0.075	16.9%

Summary Sheet

Note - For statistical tests, "NS" indicates that the concentration is not statistically different from the control, while "Y" indicates that the concentration is statistically different from the control.



NOTICE

The United States Environmental Protection Agency (EPA), through its Office of Wastewater Management, funded and managed the development of the whole effluent toxicity (WET) Tool described here. This is a tool that calculates WET test endpoints for the EPA-approved WET test methods and is used by EPA internally for analyzing valid WET test data. Neither the EPA nor any of their employees, assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information or process disclosed. Furthermore, the WET Tool is supplied "as-is" without guarantee or warranty, expressed or implied, including without limitation, any warranty of merchantability or fitness for a specific purpose.

Summary Sheet

Facility Analytical Laboratories
Test ID QC DECEMBER 2016
Date 12/20/2016
IWC Conc.
Analyst Will Reynolds
Species Selenastrum capricornutum (green algae)
Test Type Growth

Input

Replicate	Concentrations					
	0	0.5	1.5	5.5	8.5	10
1	0.056	0.062	0.05	0.057	0.048	0.045
2	0.051	0.054	0.05	0.061	0.046	0.051
3	0.055	0.053	0.05	0.064	0.047	0.047
4	0.05	0.052	0.052	0.061	0.044	0.049

Mean	0.053	0.055	0.051	0.061	0.046	0.048
Stdev	0.003	0.005	0.001	0.003	0.002	0.003

Output

Statistical Data	Conc.	Mean	Stdev	CV	Dunnett test		
					0	0.5	1.5
	0	0.053	0.003	0.056			
	0.5	0.055	0.005	0.083		NS	
	1.5	0.051	0.001	0.020		NS	
	5.5	0.061	0.003	0.047		NS	
	8.5	0.046	0.002	0.037		Y	
	10	0.048	0.003	0.054		Y	


NOEC	LOEC	IC25	95% Confidence Intervals	
5.5	8.5	>10	N/A	N/A

TST	Calculated t-value	Table t-value	Relative % Effect at IWC

MSD	PMSD
0.005	9.1%

Summary Sheet

Note - For statistical tests, "NS" indicates that the concentration is not statistically different from the control, while "Y" indicates that the concentration is statistically different from the control.



NOTICE

The United States Environmental Protection Agency (EPA), through its Office of Wastewater Management, funded and managed the development of the whole effluent toxicity (WET) Tool described here. This is a tool that calculates WET test endpoints for the EPA-approved WET test methods and is used by EPA internally for analyzing valid WET test data. Neither the EPA nor any of their employees, assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information or process disclosed. Furthermore, the WET Tool is supplied "as-is" without guarantee or warranty, expressed or implied, including without limitation, any warranty of merchantability or fitness for a specific purpose.

BENCH SHEET FOR *S. capicornutum* ALGAL QC GROWTH TEST

EPA TEST METHOD 1003.0

TEST MONTH/YEAR# Dec 2016 ANALYST UR FINAL REPORT REVIEW: SC
 TEST START DATE/TIME: 12/11/16, 1200
 TEST END DATE/TIME: 12/15/16, 1600

Initial Algae Count (cells/mL)


	Random Sample #1	Random Sample #2	Random Sample #3	Random Sample #4	Initial Average
	Absorbance Value: .020	Absorbance Value: .022	Absorbance Value: .022	Absorbance Value: .022	Absorbance Value: .022 Cells/mL: 0.689

Final Algae Count (cells/mL)

CONCENTRATION	Rep. 1	Rep. 2	Rep. 3	Rep. 4	Average
CONTROL	Absorbance Value: .056	Absorbance Value: .051	Absorbance Value: .055	Absorbance Value: .050	Absorbance Value: .053 Cells/mL: 1.63
0.5	Absorbance Value: .062	Absorbance Value: .054	Absorbance Value: .053	Absorbance Value: .052	Absorbance Value: .055 Cells/mL: 1.70
1.5	Absorbance Value: .050	Absorbance Value: .050	Absorbance Value: .050	Absorbance Value: .052	Absorbance Value: .051 Cells/mL: 1.56
5.5	Absorbance Value: .057	Absorbance Value: .061	Absorbance Value: .064	Absorbance Value: .061	Absorbance Value: .058 Cells/mL: 1.79
8.5	Absorbance Value: .048	Absorbance Value: .046	Absorbance Value: .047	Absorbance Value: .044	Absorbance Value: .046 Cells/mL: 1.43
10	Absorbance Value: .045	Absorbance Value: .051	Absorbance Value: .047	Absorbance Value: .047	Absorbance Value: .048 Cells/mL: 1.48

*Absorbance values (AV) obtained from Spectronic 601 spectrophotometer are used to determine cells/mL based on a standardized linear relationship ((3x10⁷)(AV) + 44311).

***Selenastrum capricornutum* Conversion Chart**



BENCH SHEET FOR *S. capicornutum* ALGAL QC GROWTH TEST.
EPA METHOD 1003.0

Test Month/Year Dec 2016 Analyst: WPC/CP Final Report Review: SC
 Test Start Date/Time: 12/11/16, 1200
 Test Stop Date/Time: 12/15/16, 1600

Daily pH and Temp.

CONCENTRATION	Day 0		Day 1		Day 2		Day 3		Day 4		Comments
	pH	Temp									
Control	8.3	24.8	9.6	28.7	10.3	24.3	11.0	24.0	10.8	24.5	
0.50 g/L	8.2	24.5	9.9	23.8	10.7	24.2	10.9	24.1	11.0	24.9	
1.5 g/L	8.3	24.2	10.0	24.0	10.7	24.3	10.9	23.9	10.9	25.0	
5.5 g/L	8.3	23.8	9.8	24.2	10.3	24.3	10.5	23.9	10.4	24.8	
8.5 g/L	8.3	23.5	9.7	24.4	10.0	24.6	10.0	23.8	9.9	24.8	
10 g/L	8.3	23.4	9.6	23.4	10.0	24.3	10.1	24.0	10.1	25.8	

Summary Sheet

Facility Analytical Laboratories
Test ID QC DECEMBER 2016
Date 1/3/2017
IWC Conc.

Analyst Will Reynolds
Species *Selenastrum capricornutum* (green algae)
Test Type Growth

Input

Replicate	Concentrations					
	0	0.5	1.5	5.5	8.5	10
1	0.056	0.062	0.05	0.057	0.048	0.045
2	0.051	0.054	0.05	0.061	0.046	0.051
3	0.055	0.053	0.05	0.054	0.047	0.047
4	0.05	0.052	0.052	0.061	0.044	0.049

Mean	0.053	0.055	0.051	0.058	0.046	0.048
Stdev	0.003	0.005	0.001	0.003	0.002	0.003

Output

Statistical Data	Conc.	Mean	Stdev	CV	Dunnett test
	0	0.053	0.003	0.056	
	0.5	0.055	0.005	0.083	NS
	1.5	0.051	0.001	0.020	NS
	5.5	0.058	0.003	0.058	NS
	8.5	0.046	0.002	0.037	Y
	10	0.048	0.003	0.054	NS


NOEC	LOEC	IC25	95% Confidence Intervals	
10	>10	>10	N/A	N/A

TST	Calculated t-value	Table t-value	Relative % Effect at IWC

MSD	PMSD
0.005	9.4%

Summary Sheet


Note - For statistical tests, "NS" indicates that the concentration is not statistically different from the control, while "Y" indicates that the concentration is statistically different from the control.



NOTICE

The United States Environmental Protection Agency (EPA), through its Office of Wastewater Management, funded and managed the development of the whole effluent toxicity (WET) Tool described here. This is a tool that calculates WET test endpoints for the EPA-approved WET test methods and is used by EPA internally for analyzing valid WET test data. Neither the EPA nor any of their employees, assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information or process disclosed. Furthermore, the WET Tool is supplied "as-is" without guarantee or warranty, expressed or implied, including without limitation, any warranty of merchantability or fitness for a specific purpose.

1300 Blue Spruce Drive, Suite C
Fort Collins, Colorado 80524



Toll Free: 800/331-5916
Tel: 970/484-5091 Fax: 970/484-2514

YTC TOTAL SOLIDS MEASUREMENT
(Method from EPA/505/8-89-002a)

YTC Process Date: 12/21/2016; Best if used by 3/31/2017
Average Total Solids: 1710 mg/l

Ingredient Lot Numbers

Pines International® Wheat Grass: COCDW12S50; Zeigler Finfish Starter #1 (Lot 1019/2016); Fleischmanns Yeast: G-3

EPA Required Toxic Metals and Pesticide Analyses*


Analyzed Metals	Report Limits	Results (mg/L)
Aluminum	0.03	0.08
Arsenic	0.001	U
Cadmium	0.001	U
Chromium	0.005	U
Copper	0.05	0.033
Iron	0.02	0.24
Lead	0.001	U
Mercury	0.001	U
Nickel	0.005	U
Silver	0.001	U
Zinc	0.01	0.14

Compounds	Report Limits	Results (µg/L)
Aldrin	0.5	U
alpha-BHC	0.5	U
beta-BHC	0.5	U
delta-BHC	0.5	U
gamma-BHC (Lindane)	0.5	U
alpha-Chlordane	0.5	U
gamma-Chlordane	0.5	U
4,4'-DDD	0.5	U
4,4'-DDE	0.5	U
4,4'-DDT	0.5	U
Dieldrin	0.5	U
Endosulfan I	0.5	U
Endosulfan II	0.5	U
Endosulfan sulfate	0.5	U
Endrin	0.5	U
Endrin aldehyde	0.5	U
Endrin ketone	0.5	U
Heptachlor	0.8	U
Heptachlor epoxide	0.5	U
Methoxychlor	0.5	U
Chlordane (technical)	5.0	U
Toxaphene	25	U
Aroclor-1016	5.0	U
Aroclor-1221	5.0	U
Aroclor-1232	5.0	U
Aroclor-1242	5.0	U
Aroclor-1248	5.0	U
Aroclor-1254	5.0	U
Aroclor-1260	5.0	U
Aroclor-1262	5.0	U
Aroclor-1268	5.0	U

U – Indicates compound was analyzed for but not detected.

* Testing performed by Energy Labs, Billings, Montana

1300 Blue Spruce Drive, Suite C
Fort Collins, Colorado 80524



Toll Free: 800/331-5916
Tel: 970/484-5091 Fax: 970/484-2514

Algae Preparation History

DATE: 12/27/2016

SPECIES: *Raphidocelis subcapitata**

INOCULATION DATE: 12/13/2016

HARVEST DATE: 12/19/2016

CONCENTRATION DATE: 12/21/2016

CELL COUNT (/mL): 3.0×10^7 cells/mL

Comments:

* Formerly known as *Pseudokirchneriella subcapitata* and *Selenastrum capricornutum*

** All concentrated algae diluted to proper cell count with reconstituted moderately hard DI water.


Supervisor

from Mass Culture

Ceriodaphnia dubia Stock Culture Log


Month/Year: December/2016

Start Date:	Trans.	End Date:	Board#:	1	2	3	4	5	6	7	8	9	10	Time
12/21	0		1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	0930
12/22	1		2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1500
12/23	2		3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1400
12/24	3		4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1130
12/26	4		5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1400
12/27	5	3/16	6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1235
12/28	6	2/10	7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1130
12/29	7	4/13	8	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1215
Survival > 80%:	yes/no	4	Average offspring per female > 20:	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	yes/no
				3/18	3/15	3/11	3/11	3/11	3/11	3/11	3/11	3/11	3/11	1230

Start Date:	Trans.	End Date:	Board#:	1	2	3	4	5	6	7	8	9	10	Time
12/21	0		1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	0935
12/22	1		2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1505
12/23	2		3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1135
12/24	3		4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1405
12/26	4	✓	5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1240
12/27	5	2/11	6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1135
12/28	6	2/16	7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1220
12/29	7	3/14	8	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1235
Survival > 80%:	yes/no	3/14	Average offspring per female > 20:	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	yes/no
				3/15	3/14	3/13	3/13	3/15	3/12	3/11	3/11	3/11	3/11	1230

Start Date:	Trans.	End Date:	Board#:	1	2	3	4	5	6	7	8	9	10	Time
12/21	0		1	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	0940
12/22	1		2	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1510
12/23	2		3	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1140
12/24	3		4	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1410
12/26	4	✓	5	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1245
12/27	5	✓	6	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1140
12/28	6	2/15	7	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1225
12/29	7	3/14	8	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	1240
Survival > 80%:	yes/no	3/11	Average offspring per female > 20:	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	yes/no
				3/12	✓	3/10	3/14	✓	✓	✓	✓	✓	✓	1230

1300 Blue Spruce Drive, Suite C
Fort Collins, Colorado 80524



Toll Free: 800/331-5916
Tel: 970/484-5091 Fax: 970/484-2514

Algae Preparation History

DATE: 12/5/2016

SPECIES: *Raphidocelis subcapitata**

INOCULATION DATE: 11/16/2016

HARVEST DATE: 11/21/2016

CONCENTRATION DATE: 11/23/2016

CELL COUNT (/ml): 3.0×10^7 cells/ml


Comments:

* Formerly known as *Pseudokirchneriella subcapitata* and *Solenastrum capricornutum*

** All concentrated algae diluted to proper cell count with reconstituted moderately hard DI water.

Supervisor

1300 Blue Spruce Drive, Suite C
Fort Collins, Colorado 80524



Toll Free: 800/331-5916
Tel: 970/484-5091 Fax: 970/484-2514

YTC TOTAL SOLIDS MEASUREMENT
(Method from EPA/505/8-89-002a)

YTC Process Date: 11/30/2016; Best if used by 2/28/2017
Average Total Solids: 1750 mg/L

Ingredient Lot Numbers

Pines International® Wheat Grass: COCDW12S50; Zeigler Finfish Starter #1 (Lot 06.05.2016); Fleischmanns Yeast: G-3

Analyzed Metals	Report Limits	Results (mg/L)
Aluminum	0.03	0.09
Arsenic	0.001	U
Cadmium	0.001	U
Chromium	0.005	U
Copper	0.005	0.046
Iron	0.02	0.26
Lead	0.001	U
Mercury	0.001	U
Nickel	0.005	U
Silver	0.001	U
Zinc	0.01	0.15

EPA Required Toxic Metals and Pesticide Analyses*

Compounds	Report Limits	Results (ug/L)
Aldrin	0.5	U
alpha-BHC	0.5	U
beta-BHC	0.5	U
delta-BHC	0.5	U
gamma-BHC (Lindane)	0.5	U
alpha-Chlordane	0.5	U
gamma-Chlordane	0.5	U
4,4' - DDD	0.5	U
4,4' - DDE	0.5	U
4,4' - DDT	0.5	U
Dieldrin	0.5	U
Endosulfan I	0.5	U
Endosulfan II	0.5	U
Endosulfan sulfate	0.5	U
Endrin	0.5	U
Endrin aldehyde	0.5	U
Endrin ketone	0.5	U
Heptachlor	0.8	U
Heptachlor epoxide	0.5	U
Methoxychlor	0.5	U
Chlordane (technical)	5.0	U
Toxaphene	25	U
Aroclor-1016	5.0	U
Aroclor-1221	5.0	U
Aroclor-1232	5.0	U
Aroclor-1242	5.0	U
Aroclor-1248	5.0	U
Aroclor-1254	5.0	U
Aroclor-1260	5.0	U
Aroclor-1262	5.0	U
Aroclor-1268	5.0	U

U - Indicates compound was analyzed for but not detected.

* Testing performed by Energy Labs, Billings, Montana